INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by the

The American Ceramic Society

VOLUME 64, 1981

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of *the Journal* and *Communications*; numbers following are *page* numbers.

Abe, Hiroshi See Nakayama, J.

Abe, Yoshihiro; Kawashima, Koichi; and Suzuki, Suguru
Thermochromism in reduced phosphate glasses (4) 206.

Abe, Yoshihiro; and Suzuki, Suguru
Free volume of phosphate glasses (1) C14.

Abou-el-leil, Mahmoud; and Cooper, A. R.
Mixed-mode crack-growth and fracture model for field-assisted ion-exchanged glass (3) 141.

Acocella, J. See Takata, Masasuke

Acocella, J.; Takata, Masasuke; Tomozawa, Minoru; and Watson, E. B.
Radiation-coloration-resistant glasses with high water content (5) C83.

Ahmed, A. A.; El-Shamy, T. M.; and Sharaf, N. A.
States of sulfur in alkali borate glasses—correction (6) 374.

Ainscough, J. B.; Rigby, F.; and Morrow, S. A.
Effect of oxygen potential on the thermal creep of niobia-doped UO_2 (5) 315.

Alcock, C. B. See Petric, A.

Allibert, Michel; Chatillon, Christian; Jacob, K. T.; and Lourtau, Roger
Mass-spectrometric and electrochemical studies of thermodynamic properties of liquid and solid phases in the system CaO-Al_2O_3 (5) 307.

Allison, Craig See Mochel, Peggy

Anderson, Harlan U. See Wuttig, Manfred

Ando, Ken; Kurokawa, H.; Oishi, Y.; and Takei, H.
Self-diffusion coefficient of oxygen in single-crystal forsterite (2) C30.

Ando, Yoshinori; and Uyeda, Ryozi
Preparation of ultrafine SiC particles by gas evaporation (1) C12.

Angell, C. A. See Barkatt, Aaron

Anstis, G. R. See Chantikul, P.

Anstis, G. R.; Chantikul, P.; Lawn, Brian R.; and Marshall, D. B.
Critical evaluation of indentation techniques for measuring fracture toughness: I, Direct crack measurements (9) 533.

Aravamudan, G. See Ramachandran, B. E.

Babel, D. See Hilger, J. P.

Babini, G. N.; Bellosi, A.; and Vincenzini, Pietro
Oxidation of silicon nitride hot-pressed with ceria (10) 578.

Baiocchi, E. See Momo, F.

Balachandran, U.; and Eror, N. G.
Solubility of lanthanum in strontium titanate (4) C75.

Balasubramanian, N. See Ramachandran, B. E.

Balluffi, R. W.; Bristowe, P. D.; and Sun, C. P.
Structure of high-angle grain boundaries in metals and ceramic oxides (1) 23.

Bandyopadhyay, Gautam See Fenske, George R.

Bansal, Girraj K. See Shetty, Dinesh Kumar

Baratta, Francis I.
Refinement of stress intensity factor estimates for a peripherally cracked spherical void and a hemispherical surface pit (1) C3; When is a beam a plate? (5) C86.

Barco, Luigi See Beruto, Dario

Barkatt, Aaron; Angell, C. A.; and Miller, John R.
Visible spectroscopy of irradiated high-alkali borate and mixed-alkali phosphate glasses (3) 158.

Barnes, P. See Ghose, A.

Bartram, Stanley F.; and Foss, Warren M.
Preparation and identification of $Ca_2Zn_4Ti_{15}O_{36}$—a new structure type (2) 80.

Bates, J. Lambert See Rupaal, A. S.

Bates, J. Lambert; and Garnier, John E.
Electrical conductivity of $MgAl_2O_4$ and $Y_3Al_5O_{12}$ (10) C138.

Baud, G.; and Besse, J.-P.
Superionic conducting glasses—glass formation and conductivity in the system Ag_2S-$AgPO_3$ (4) 242.

Becher, Paul F.
Effect of water bath temperature on the thermal shock of Al_2O_3 (1) C17; Transient thermal stress behavior in ZrO_2-toughened Al_2O_3 (1) 37; See also Rice, Roy W.

Belleri, Gabriele See Beruto, Dario

Bellosi, A. See Babini, G. N.

Bennett, R. See Nadeau, John S.

Bentsen, L. D. See Niihara, K.; Ziegler, G.

Berard, Michael F. See Kucheria, C. S.

Berger, J.; Berthon, J.; Revcolevschi, A.; and Jolles, E.
Elastic constants of $Fe_{1-x}O$ single crystals (11) C153.

Berlinger, W. See Mehran, F.

Berthon, J. See Berger, J.

Beruto, Dario; Barco, Luigi; Belleri, Gabriele; and Searcy, Alan W.
Vapor-phase hydration of submicrometer CaO particles (2) 74.

Besse, J.-P. See Baud, G.

Bezjak, Aleksandar; and Runje, Vesna
Quantitative phase analysis of the hydrothermally treated system γ-Ca_2SiO_4-CaO (3) 129.

Bhat, D. G.
Elastic/plastic indentation damage in ceramics—the median/radial crack system—comment (11) C165.

Biefeld, Renata M.; and White, Sharon Spencer
Temperature/composition phase diagram of the system Bi_2O_3-PbO (3) 182.

Biggers, James V. See Hankey, Dana L.; Klicker, K. A.

Bihuniak, P. P.; and Condrate, Robert A., Sr.
Effects of preparation history on TiO_2·SiO_2 glasses (8) C110.

Biswas, Dipak R.; and Pujari, V. K.
Verification of the double-torsion equation by using different thickness samples of a machinable glass-ceramic (7) C98.

Biswas, S. K. See Mukerji, J.

Blattner, R. J. See Drummond, James L.

Bowen, H. Kent See Hodge, J. D.; Lloyd, Isabel K.; Mason, Thomas O.; Petuskey, William T.; Yoshimura, Masahiro

Bradt, R. C. See Easler, T. E.; Iwasa, Mikio; Nakayama, J.; Shinkai, Norihiko; Stewart, R. L.

Braunshtein, D. See Riess, I.

Bristowe, P. D. See Balluffi, R. W.

Brown, Sherman D. See Drummond, James L.; Ferber, M. K.

Buchanan, Relva C. See Wittmer, Dale E.

Cadoz, J. See Castaing, J.

Carpenter, D. A. See Holcombe, Cressie E., Jr.

Carpenter, R. W. See Clarke, David R.

Carr, Dodd S. See McCauley, Ronald A.

Carter, C. B.; and Sass, S. L.
Electron diffraction and microscopy techniques for studying grain-boundary structure (6) 335.

Case, E. D.; Smyth, Jay R.; and Monthei, V.
Grain-size determinations (2) C24.

Castaing, J.; Cadoz, J.; and Kirby, S. H.
Prismatic slip of Al_2O_3 single crystals below 1000°C in compression under hydrostatic pressure (9) 504.

Castellano, T. J. See White, G. S.

Catlow, C. R. A.; and Stoneham, A. M.
Defect equilibria in transition metal oxides (4) 234.

Cava, R. J.; Roth, Robert S.; and Minor, D. B.
Revised ThO_2-Nb_2O_5 phase diagram (4) C64.

Chan, N.-H. See Sharma, R. K.

Chan, N.-H.; Sharma, R. K.; and Smyth, Donald M.
Nonstoichiometry in undoped $BaTiO_3$ (9) 556.

Chandra, Satish
Interaction of $BaCl_2$ and $BaCO_3$ at elevated temperatures (7) C101.

Chandratreya, S. S.; Fulrath, Richard M.; and Pask, Joseph A.
Reaction mechanisms in the formation of PZT solid solutions (7) 422.

Chang, Luke L. Y. See Spinnler, Gerard E.; Tyson, R. Michael

Chantikul, P. See Anstis, G. R.; Cook, R. F.

Chantikul, P.; Anstis, G. R.; Lawn, Brian R.; and Marshall, D. B.
Critical evaluation of indentation techniques for measuring fracture toughness: II, Strength method (9) 539.

Chantikul, P.; Lawn, Brian R.; and Marshall, D. B.
Micromechanics of flaw growth in static fatigue—influence of residual contact stresses (6) 322.

Chatillon, Christian See Allibert, Michel

Chatterji, S.
Comment on "Analytical electron microscopy of cement pastes: I, Tricalcium silicate pastes." (2) C39.

Chen, H.-C.; and Mason, Thomas O.
Thermoelectric study of cobaltous oxide defect structure (10) C130.

Chiang, S. S.; Fulrath, Richard M.; and Pask, Joseph A.
Influence of microcracking and slow crack growth on the planar coupling coefficient in PZT (10) C141.

Chiang, Y. M.; Henriksen, A. F.; Kingery, W. D.; and Finello, D.
Characterization of grain-boundary segregation in MgO (7) 385.

Chuang, Tze-Jer See Rice, James R.

Chung, K.-H. See Gbogi, E. O.

Ciarlo, Julie; and Nicholson, Patrick S.
Sintering of MgF_2-LiF solid solutions (8) 460.

Clarke, David R.
Preferential dissolution of an intergranular amorphous phase in a nuclear waste ceramic (6) C89; See also Morgan, P. E. D.

Clarke, David R.; Zaluzec, N. J.; and Carpenter, R. W.
Intergranular phase in hot-pressed silicon nitride: I, Elemental composition (10) 601; II, Evidence for phase separation and crystallization (10) 608.

Claussen, Nils See Kosmac, Thomaz

Claussen, Nils; and Wallace, J. S.
Mechanical properties of sintered, in-situ-reacted mullite-zirconia composites—reply (4) C79.

Clemens, K. See Kawamoto, Y.

Clemens, K.; Yoshiyagawa, M.; and Tomozawa, Minoru
Liquid-liquid immiscibility in BaO-B_2O_3 (6) C91.

Clemens, Kevin See Markis, Joanne H.

Coble, Robert L. See Dudney, N. J.

Cochran, K. M. See Solomon, Alvin A.
Condrate, Robert A., Sr. See Bihuniak, P. P.
Cook, R. F.; Lawn, Brian R.; Dabbs, T. P.; and Chantikul, P.
Effect of machining damage on the strength of a glass-ceramic (9) C121.
Cooper, A. R.
Proposed definition for the thermal efficiency of glassmelting furnaces (6) C91; See also Abou-el-leil, Mahmoud; Reddy, K. P. R.; Shaisha, E. E.
Cordaro, J. F.; and Tomozawa, Minoru
Dielectric relaxation strength of low-alkali glass (12) 713.
Costello, J. A.; and Tressler, Richard E.
Oxidation kinetics of hot-pressed and sintered α-SiC (6) 327.
Costello, J. A.; Tressler, Richard E.; and Tsong, I. S. T.
Boron redistribution in sintered α-SiC during thermal oxidation (6) 332.
Crampon, J.; and Escaig, B.
Mechanical properties of fine-grained magnesium oxide at large compressive strains—correction (2) 124.
Croft, William J. See Moon, Kenneth A.
Cross, Leslie E. See Gururaja, T. R.; Jang, S. J.
Cutler, Ivan B. See Rafaniello, William
Dabbs, T. P. See Cook, R. F.
Daimon, Keiji See Kato, Etsuro
Dalal, K. H.; and Raj, Rishi
Kinetics of dissolution and crystallization in a β-spodumene glass-ceramic (4) 194.
Daigleish, B. J. See Jennings, H. M.
Das, C. R.
Chemical durability of sodium silicate glasses containing Al_2O_3 and ZrO_2 (4) 188.
Davis, B. I. See Morgan, P. E. D.
Davis, N. C. See Matthews, R. B.
Day, Delbert E. See Hong, Chi-Ming; Jannek, H. D.
De Iasi, Richard See Kivlighn, Herbert D., Jr.
De, Asok K. See McCauley, Ronald A.
Detrio, J. A. See Kumar, Binod
Diamond, Sidney See Struble, Leslie J.
Diamond, Sidney; and Lopez-Flores, Federico
Fate of calcium chloride dissolved in concrete mix water (11) C162.
Doser, R. W. See Wirtz, G. P.
Drexhage, M. G. See Gbogi, E. O.
Drummond, James L.; Simon, M. R.; Brown, Sherman D.; and Biattner, R. J.
Degradation of plasma-sprayed alumina on metal substrates in physiological media (8) C109.
Duckworth, W. H. See Shetty, Dinesh Kumar
Dudney, N. J.; Coble, Robert L.; and Tuller, Harry L.
Electrical conductivity of pure and yttria-doped uranium dioxide (11) 627; Galvanic cell measurements with stabilized zirconia and platinum probes (10) 621.
Dunn, Bruce
Effect of air exposure on the resistivity of sodium beta and beta″ aluminas (3) 125.
Dynys, F. W.; and Halloran, John W.
Reactions during milling of aluminum oxide (4) C62.
Easler, T. E.; Bradt, R. C.; and Tressler, Richard E.
Concurrent flaw populations in SiC (3) C53.; Concurrent flaw populations in SiC—correction (6) C94.
Easler, T. E.; Bradt, R. C.; and Tressler, Richard E.
Strength distributions of SiC ceramics after oxidation and oxidation under load (12) 731.
Ehlert, Thomas C.
Thermal decomposition of the oxynitride of germanium and the heat capacity of the oxynitrides of silicon and germanium (2) C25; Thermal decomposition of the oxynitride of germanium and the heat capacity of the oxynitrides of silicon and germanium—correction (8) C114
El-Aiat, M. M.; Hou, L. D.; Tiku, S. K.; Wang, H. A.; and Kroeger, F. A.
High-temperature conductivity and creep of polycrystalline Al_2O_3 doped with Fe and/or Ti (3) 174.
El-Masry, M. A. A. See Haroun, Nabil A.
El-Shamy, T. M. See Ahmed, A. A.
Elmer, Thomas H.
Dehydroxylation of porous glass by means of chlorine (3) 150.
Eror, N. G. See Balachandran, U.
Escaig, B. See Crampon, J.
Evans, A. G. See Faber, K. T.; Marshall, D. B.; Virkar, Anil V.
Evans, A. G.; and Faber, K. T.
Toughening of ceramics by circumferential microcracking (7) 394.
Ewing, Rodney C. See Haaker, Richard F.
Faber, K. T. See Evans, A. G.
Faber, K. T.; Huang, M. D.; and Evans, A. G.
Quantitative studies of thermal shock in ceramics based on a novel test technique (5) 296.
Fegley, M. Bruce, Jr.
Thermodynamic properties of silicon oxynitride (9) C124.
Fenske, George R.; and Bandyopadhyay, Gautam
Effect of burnup on the response of stainless steel-clad mixed-oxide fuels to simulated thermal transients (7) 375.
Ferber, M. K.; and Brown, Sherman D.
Delayed failure of plasma-sprayed Al_2O_3 applied to metallic substrates (12) 737.
Fernelius, N. See Kumar, Binod
Finello, D. See Chiang, Y. M.
Fissolo, A. See Hilger, J. P.
Fitzpatrick, W. J. See Mehran, F.
Foss, Warren M. See Bartram, Stanley F.
Foster, W. R. See Rockett, Thomas J.
Fox, K. E.; Furukawa, Toshiharu; and White, William B.
Luminescence of Fe^{3+} in metaphosphate glasses—evidence for four- and six-coordinated sites (3) C42.
Franken, P. E. C.; Viegers, M. P. A.; and Gehring, A. P.
Microstructure of $SrTiO_3$ boundary-layer capacitor material (12) 687.
Frechette, Van Derck See Hudson, R. L.; Michalske, Terry A.
Frechette, Van Derck; Pulver, J. C.; and Rossington, David R.
Coalescence of thin films of gold condensed on glass (8) 463.
Freiman, Stephen W. See Rice, Roy W.; Simmons, Catherine J.
Frey, Thomas See Loeh, Ingrid
Frischat, G. H. See Kassis, N.; Michels, B.-D.
Fulrath, Richard M. See Chandratreya, S. S.; Chiang, S. S.
Fung, M. S. See Mehran, F.
Furukawa, Toshiharu See Fox, K. E.
Furukawa, Toshiharu; and White, William B.
Raman spectroscopy of heat-treated B_2O_3-SiO_2 glasses (8) 443.
Galasso, Francis S.; and Veltri, R. D.
Sintering of Si_3N_4-Y_2O_3 under nitrogen pressure (1) C15.
Gancy, A. B.; Rao, J. M.; and Wenner, W. M.
Dehydration of aluminum sulfate hydrates (2) 119.
Gardon, Robert
Nonlinear annealing of glass (2) 114.
Garnier, John E. See Bates, J. Lambert; Rupaal, A. S.
Garvie, R. C. See Kirchner, Henry P.
Gavin, D. L. See Syed, R.
Gazza, G. E.; Katz, R. N.; and Priest, H. F.
Densification of Si_3N_4-Y_2O_3/Al_2O_3 by a dual N_2 pressure process (11) C161.
Gbogi, E. O.; Chung, K.-H.; Moynihan, Cornelius T.; and Drexhage, M. G.
Surface and bulk −OH infrared absorption in ZrF_4- and HfF_4-based glasses (3) C51.
Gehring, A. P. See Franken, P. E. C.
Gentilman, R. L.; Maguire, E. A.; Starrett, H. S.; Hartnett, T. M.; and Kirchner, Henry P.
Strength and transmittance of sapphire and strengthened sapphire (9) C116.
Ghose, A.; and Barnes, P.
Unusual form of belite in portland cement clinker (9) C120.
Giovan, M. N.; and Sines, George
Strength of a ceramic at high temperatures under biaxial and uniaxial tension (2) 68.
Goo, Edward K. W.; Mishra, Raja K.; and Thomas, Gareth
Transmission electron microscopy of $Pb(Zr_{0.52}Ti_{0.48})O_3$ (9) 517.
Granahan, M.; Holmes, M.; Schulze, Walter A.; and Newnham, Robert E.
Grain-oriented $PbNb_2O_6$ ceramics (4) C68.
Green, David J.
Stress-induced microcracking at second-phase inclusions (3) 138.
Greskovich, Charles D.
Microstructural observations on hot-pressed Si_3N_4 (2) C31; Preparation of high-density Si_3N_4 by a gas-pressure sintering process (12) 725.
Greskovich, Charles D.; and Prochazka, Svante
Stability of Si_3N_4 and liquid phase(s) during sintering (7) C96.
Grodkiewicz, W. H. See Van Uitert, L. G.
Gruver, Robert M. See Kirchner, Henry P.
Gulden, Mary Ellen
Correlation of experimental erosion data with elastic-plastic impact models (3) C59.
Gupta, Prabhat K.; and Jubb, Nancy J.
Post-indentation slow growth of radial cracks in glasses (8) C112.
Gururaja, T. R.; Cross, Leslie E.; and Newnham, Robert E.
Continuous poling technique for PZT fibers (1) C8.
Gyorgy, E. M. See Vogel, E. M.
Haaker, Richard F.; and Ewing, Rodney C.
Solution-gelation method for preparing polycrystalline zircon (11) C149.
Habermeyer, J. A. See Solomon, Alvin A.
Haerdtl, K. H.
Defect structure of PLZT doped with Mn, Fe, and Al (5) 283.
Hagemann, H.-J.; and Hennings, D.
Reversible weight change of acceptor-doped $BaTiO_3$ (10) 590.
Haller, W. K. See Sanders, D. M.
Halloran, John W. See Dynys, F. W.; Kaiser, Gregory A.
Hankey, Dana L.; and Biggers, James V.
Solid-state reactions in the system PbO-TiO_2-ZrO_2 (12) C172.
Harker, A. B. See Morgan, P. E. D.
Haroun, Nabil A.; and El-Masry, M. A. A.
Coating of small alumina crucibles with magnesia using a two-step drain casting technique (4) C74.
Hartnett, T. M. See Gentilman, R. L.
Hase, T.; and Suzuki, Hiroshige
Solubility and diffusion of Si in B_4C (3) C58.
Hasselman, D. P. H. See Niihara, K.; Singh, Jitendra P.; Thomas, J. R., Jr.; Ziegler, G.
Hayashi, Shinsuke See Hirai, Toshio
Hennings, D. See Hagemann, H.-J.
Henriksen, A. F. See Chiang, Y. M.
Heuer, A. H. See Ogbuji, L. U.
Hilger, J. P.; Babel, D.; Prioul, N.; and Fissolo, A.
Corrosion of AZS and fireclay refractories in contact with lead glass (4) 213.
Hirai, Toshio; and Hayashi, Shinsuke
Synthesis of β-Si_3N_4 by chemical vapor deposition (6) C88.
Hirano, Shin-ichi; Yamaguchi, Takayuki; and Naka, Shigeharu
Effects of AlN additions and atmosphere on the synthesis of cubic boron nitride (12) 734.
Hirao, Kazuyuki See Nasu, H.
Hoagland, Richard G. See Krstic, Vladimir D.
Hodge, J. D.; and Bowen, H. Kent
High-temperature thermoelectric power measurements in wustite (8) 431.; Measurement of low-temperature thermoelectric power for quenched wustite (4) 220.; Time relaxation of the thermoelectric power of wustite (2) C23.
Holcombe, Cressie E., Jr.; and Carpenter, D. A.
Identification of a new yttrium oxycarbide, Y_2OC (5) C82.
Holmes, M. See Granahan, M.
Hong, Chi-Ming; and Day, Delbert E.
Thermally stimulated currents in sodium silicate glasses (2) 61.
Hosler, W. R. See White, G. S.
Hou, L. D. See El-Aiat, M. M.
Huang, M. D. See Faber, K. T.
Hudson, R. L.; and Frechette, Van Derck
Producing a semielliptical flaw in a glass surface (2) C26.
Hurwitz, S. See Sanders, David M.
Ihrig, Holger
PTC effect in $BaTiO_3$ as a function of doping with 3*d* elements (10) 617.
Ingel, R. P. See Rice, Roy W.
Inoue, T.; and Matzke, Hj.
Temperature dependence of Hertzian indentation fracture surface energy of ThO_2 (6) 355.
Iseki, T.; Yamashita, K.; and Suzuki, Hiroshige
Joining of self-bonded silicon carbide by germanium metal (1) C13.
Ishii, Isao See Utsumi, Yoshikazu
Ito, Setsuro; and Tomozawa, Minoru
Stress corrosion of silica glass (11) C160.
Iwasa, M. See Stewart, R. L.
Iwasa, Mikio; Liang, E. C.; Bradt, R. C.; and Nakamura, Y.
Fracture of isotropic and textured Ba hexaferrite (7) 390.
Jacob, K. T. See Allibert, Michel; Petric, A.
Jacob, K. T.; and Shim, W. W.
Gibbs energy of formation of lead zirconate (10) 573.
Jakus, Karl; Ritter, John E., Jr.; Service, T.; and Sonderman, D.
Evaluation of bimodal concurrent flaw distributions (12) C174.
Jakus, Karl; Ritter, John E., Jr.; and Sullivan, J. M.
Dependency of fatigue predictions on the form of the crack velocity equation (6) 372.
Jameson, D. A.
Analytical electron microscopy of cement pastes: II, Pastes of portland cements and clinkers—comment (4) C80.
Jang, S. J.; Cross, Leslie E.; Uchino, Kenji; and Nomura, S.
Dielectric and electrostrictive properties of ferroelectric relaxors in system $Pb(Mg_{1/3}Nb_{2/3})O_3$:$PbTiO_3$:$Ba(Zn_{1/3}Nb_{2/3})O_3$ (4) 209.
Jannek, H. D.; and Day, Delbert E.
Sodium motion in phase-separated sodium silicate glasses (4) 227.
Jantzen, Carol M. See Morgan, P. E. D.
Jennings, H. M.; Daigleish, B. J.; and Pratt, P. L.
Morphological development of hydrating tricalcium silicate as examined by electron microscopy techniques. (10) 567.
Jepps, N. W.; and Page, T. F.
6*H*−3*C* "reverse" transformation in silicon carbide compacts (12) C177.
Johnson, D. W., Jr. See Vogel, E. M.
Jolles, E. See Berger, J.
Jubb, Nancy J. See Gupta, Prabhat K.
Jyomura, Shigeru; Matsuyama, Iwao; and Toda, Gyozo
Anomalous grain growth in PLZT ceramics (3) C55.
Kagawa, Masahiro; Kikuchi, Masae; Ohno, Reiichi; and Nagae, Tsuneki
Preparation of ultrafine MgO by the spray-ICP technique (1) C7.
Kaiser, Gregory A.; and Halloran, John W.
Electrochemical corrosion of iron magnesium aluminate spinel and lanthanum chromite in molten potassium sulfate (1) C2.
Kant, Arthur See Moon, Kenneth A.
Kassis, N.; and Frischat, G. H.
Vapor pressures of simple silicate glassmelts (2) C28.
Kato, Etsuro; Daimon, Keiji; and Nanbu, Masao
Decomposition of two aluminum sulfates and characterization of the resultant aluminas (8) 436.
Katz, R. N. See Gazza, G. E.
Kawamoto, Y.; Clemens, K.; and Tomozawa, Minoru
Effects of MoO_3 on phase separation of Na_2O-B_2O_3-SiO_2 glasses (5) 292.

Kawamoto, Y.; and Tomozawa, Minoru
Prediction of immiscibility boundaries of the systems K_2O-SiO_2, K_2O-Li_2O-SiO_2, K_2O-Na_2O-SiO_2, and K_2O-BaO-SiO_2 (5) 289.

Kawashima, Koichi See Abe, Yoshihiro
Kikuchi, Masae See Kagawa, Masahiro
Kimura, Takao See Sakaguchi, Shigeki
Kingery, W. D. See Chiang, Y. M.
Kirby, S. H. See Castaing, J.
Kirchner, Henry P. See Gentilman, R. L.
Kirchner, Henry P.; Gruver, Robert M.; Swain, Michael V.; and Garvie, R. C.
Crack branching in transformation-toughened zirconia (9) 529.

Kirchner, Henry P.; and Larchuk, T. J.
Load/radial crack size relations for static indentations in zinc sulfide (2) C27.

Kivlighn, Herbert D., Jr.; and De Iasi, Richard
Darkening kinetics of photochromic glass at high excitation levels (1) C9.

Klicker, K. A.; Biggers, James V.; and Newnham, Robert E.
Composites of PZT and epoxy for hydrostatic transducer applications (1) 5.

Kohlstedt, D. L. See Lerner, I.
Koizumi, Mitsue See Yamana, Kazuo
Kosba, Hideaki See Yamaguchi, Takashi
Kosnac, Thomaz; Wagner, Rudolf; and Claussen, Nils
X-ray determination of transformation depths in ceramics containing tetragonal ZrO_2 (4) C72.

Kostikas, A. See Maniatis, Y.
Koumoto, Kunihito; and Yanagida, Hiroaki
Electrical conduction in pure and Li-substituted Co_3O_4 (11) C156.

Kroeger, F. A. See El-Aiat, M. M.
Krstic, Vladimir D.; and Nicholson, Patrick S.
Fracture of LiF-MgF_2 precipitated composites (11) 644.

Krstic, Vladimir D.; Nicholson, Patrick S.; and Hoagland, Richard G.
Toughening of glasses by metallic particles (9) 499; Toughening of glasses by metallic particles—correction (10) 626.

Krstic, Vladimir D.; Nicholson, Patrick S.; and Purdy, Gary R.
Precipitation in LiF-MgF_2 solid solutions (8) 451.

Kucheria, C. S.; and Berard, Michael F.
Self-diffusion of ^{45}Ca and ^{88}Y in pure and YF_3-doped CaF_2 single crystals (10) 594.

Kumar, Binod; Fernelius, N.; and Detrio, J. A.
Deuterium treatment and infrared transmission spectra of fused silica (12) C178.

Kurokawa, H. See Ando, Ken
Kuwabara, Makoto
Effect of microstructure on the PTCR effect in semiconducting barium titanate ceramics (11) 639; Influence of stoichiometry on the PTCR effect in porous barium titanate ceramics (12) C170.

Lachowski, Eric E.; and Mohan, K.
Reply [to Comment on "Analytical electron microscopy of cement pastes: I, Tricalcium silicate pastes."] (2) C40.

Lachowski, Eric E.; Mohan, K.; and Taylor, H. F. W.
Analytical electron microscopy of cement pastes: II, Pastes of portland cements and clinkers—reply (4) C80.;

Lachowski, Eric E.; Mohan, K.; Taylor, H. F. W.; Lawrence, C. D.; and Moore, A. E.
Analytical electron microscopy of cement pastes: III, Pastes hydrated for long times (6) 319.

Lange, F. F. See Morgan, P. E. D.
Lankford, James
Mechanisms responsible for strain-rate-dependent compressive strength in ceramic materials (2) C33.

Larchuk, T. J. See Kirchner, Henry P.
Lawn, Brian R. See Anstis, G. R.; Chantikul, P.; Cook, R. F.; Marshall, D. B.
Lawrence, C. D. See Lachowski, Eric E.
Lerner, I.; and Kohlstedt, D. L.
Effect of γ radiation on plastic flow of NaCl (2) 105.

Lesikar, A. V. See Moynihan, Cornelius T.; Syed, R.
Lewis, David, III
Fracture strength and mirror size in a commercial glass-ceramic (2) 82.

Liang, E. C. See Iwasa, Mikio
Liang, W. W. See McNallan, M. J.
Lloyd, Isabel K.; and Bowen, H. Kent
Iron tracer diffusion in aluminum oxide (12) 744.

Loeh, Ingrid; Frey, Thomas; and Schaeffer, Helmut A.
Continuous determination of the oxidation state in a soda-lime-silica glassmelt during refining (12) C168.

Longo, Vittorio; Meriani, S.; and Ricciardiello, F.
Subsolidus phase relations between 900 and 1700°C in the systems BeO-MgO-CeO_2, SrO-MgO-CeO_2, BaO-MgO-CeO_2, and BaO-CaO-CeO_2 (2) C38.

Lopez-Flores, Federico See Diamond, Sidney
Maguire, E. A. See Gentilman, R. L.
Lourtau, Roger See Allibert, Michel
Maniatis, Y.; Simopoulos, A.; and Kostikas, A.
Moessbauer study of the effect of calcium content on iron oxide transformations in fired clays (5) 263.

Markis, Joanne H.; Clemens, Kevin; and Tomozawa, Minoru
Effect of fluorine on the phase separation of Na_2O-SiO_2 glasses (1) C20.

Marshall, D. B. See Anstis, G. R.; Chantikul, P.
Marshall, D. B.; and Evans, A. G.
Elastic/plastic indentation damage in ceramics—the median/radial crack system—reply (12) C182.

Marshall, D. B.; and Lawn, Brian R.
Residual stresses in dynamic fatigue of abraded glass (1) C6.

Mason, Thomas O. See Chen, H.-C.; Wu, Cheng Chiung
Mason, Thomas O.; and Bowen, H. Kent
Cation distribution and defect chemistry of iron-aluminate spinels (2) 86; Electronic conduction and thermopower of magnetite and iron-aluminate spinels (4) 237.

Matsuyama, Iwao See Iyomura, Shigeru
Matthews, R. B.; and Davis, N. C.
Fabrication of high-density homogeneous ThO_2-UO_2 fuel pellets (2) C37.

Matzke, Hj. See Inoue, T.
Mazdiyasni, K. S. See Niihara, K.
Mazdiyasni, K. S.; and Rub, Robert
High/low modulus Si_3N_4-BN composite for improved electrical and thermal shock behavior (7) 415.

McCarthy, Gregory J. See Pepin, John G.
McCartney, E. R. See Trigg, M. B.
McCauley, Ronald A.; De, Asok K.; and Carr, Dodd S.
Improved impact resistance in soda-lime-silica glasses through zinc oxide substitutions (11) C157.

McDonough, W. J.; Wu, C. Cm.; and Morgan, P. E. D.
Internal phase changes in dense Si_3N_4 associated with high-temperature oxidation (3) C45.

McKenzie, D. R.; and Taylor, R. W.
Platinum condensation on MgO grain boundaries (4) C73.

McKinney, K. R. See Rice, Roy W.
McKinstry, Herbert A. See Williams, John A.
McNallan, M. J.; and Liang, W. W.
Gaseous-transport-controlled chlorination of CoO in flowing oxygen-chlorine-argon mixtures at 1000 K (5) 302.

McVay, G. L.; and Pederson, L. R.
Effect of gamma radiation on glass leaching (3) 154.

Mecholsky, John J., Jr.
Intergranular slow crack growth in MgF_2 (9) 563.

Mehran, F.; Mueller, K. A.; Fitzpatrick, W. J.; Berlinger, W.; and Fung, M. S.
Characterization of particle orientations in ceramics by electron paramagnetic resonance (10) C129.

Meriani, S. See Longo, Vittorio
Messing, Gary L.; and Onoda, George Y., Jr.
Sintering of inhomogeneous binary powder mixtures (8) 468.

Michalske, Terry A.; and Frechette, Van Derck
Dynamic effects of liquids on crack growth leading to catastrophic failure in glass—correction (2) 124.

Michels, B.-D.; and Frischat, G. H.
Fracture toughness of chalcogenide glasses of the system Se-Ge-As (11) C150.

Milberg, Morton E. See Shinozaki, Samuel S.
Miller, H. Craig
Thermal diffusivities of molybdenum/alumina cermets (10) C136.

Miller, John R. See Barkatt, Aaron
Minami, Tsutomu See Tatsumisago, Masahiro
Mindess, Sidney See Nadeau, John S.
Minor, D. B. See Cava, R. J.
Mishra, Raja K. See Goo, Edward K. W.
Mitachi, Seiko; Shibata, Shuichi; and Takahashi, Shiro
Glass system SiO_2-B_2O_3-BaO-Na_2O for high-numerical-aperture optical fibers (12) 692.

Mitchell, T. E. See Ogbuji, L. U.
Miyayama, Masaru; Terada, Hiroya; and Yanagida, Hiroaki
Stabilization of β-Bi_2O_3 by Sb_2O_3 doping (1) C19.

Mochel, Peggy; Allison, Craig; and Williams, Wendell S.
Study of titanium carbide precipitates in titanium diboride by electron energy loss spectroscopy (4) 185.

Mohan, K. See Lachowski, Eric E.
Mohan, K.; and Taylor, H. F. W.
Analytical electron microscopy of cement pastes: IV, β-dicalcium silicate pastes (12) 717.

Momo, F.; Soigiu, A.; Baiocchi, E.; and Montenero, A.
EPR of vanadium(IV) in lead silicate glass (6) C93.

Montenero, A. See Momo, F.
Monthei, V. See Case, E. D.
Moon, Kenneth A.; Kant, Arthur; and Croft, William J.
Heats and free energies of formation of two sialons by mass spectrometry—correction (2) 124.

Moore, A. E. See Lachowski, Eric E.
Morgan, P. E. D. See McDonough, W. J.; Raj, Rishi
Morgan, P. E. D.; Clarke, David R.; Jantzen, Carol; and Harker, A. B.
M.
High-alumina tailored nuclear waste ceramics (5) 249.

Morgan, P. E. D.; Lange, F. F.; Clarke, David R.; and Davis, B. I.
New Si_3N_4 material—phase relations in the system Si-Sc-O-N and preliminary property studies (4) C77.

Morimoto, Nobuo SeeYamana, Kazuo
Morrow, S. A. See Ainscough, J. B.
Moya, Jose S.
Mechanical properties of sintered, in-situ-reacted mullite-zirconia composites—comment (4) C78.

Moynihan, Cornelius T. See Gbogi, E. O.; Syed, R.
Moynihan, Cornelius T.; and Lesikar, A. V.
Weak-electrolyte models for the mixed-alkali effect in glass (1) 40.

Mueller, K. A. See Mehran, F.
Mukerji, J.; and Biswas, S. K.
Effect of iron, titanium, and hafnium on second-stage nitriding of silicon (9) 549.

Murakami, Tadaki See Utsumi, Yoshikazu
Nadeau, John S.
Acoustic emission in the fracture of glass plates (10) 585.

Nadeau, John S.; Bennett, R.; and Mindess, Sidney
Acoustic emission in the drying of hardened cement paste and mortar (7) 410.

Nagae, Tsuneki See Kagawa, Masahiro
Nagai, Masayuki See Yanagida, Hiroaki
Naka, Shigeharu See Hirano, Shin-ichi
Nakamura, Y. See Iwasa, M.
Nakayama, J.; Abe, Hiroshi; and Bradt, R. C.
Crack stability in the work-of-fracture test—refractory applications (11) 671.

Nanbu, Masao See Kato, Etsuro
Narayanaswamy, O. S.
Computer simulation of float glass stretching (11) 666; Optimum schedule for annealing flat glass (2) 109.

Nasu, H.; Hirao, Kazuyuki; and Soga, Naohiro
Debye temperature and electrical conduction of Fe_2O_3-CaO-SiO_2 glasses (4) C63.

Newnham, Robert E. See Granahan, M.; Gururaja, T. R.; Klicker, K. A.
A.

Nicholson, Patrick S. See Ciarlo, Julie; Krstic, Vladimir D.

Niihara, K.; Bentsen, L. D.; Hasselman, D. P. H.; and Mazdiyasni, K. S.
Anisotropy effects in the thermal diffusivity of Si_3N_4-BN composites (9) C117.

Nobugai, Kohji See Yamana, Kazuo
Nomura, S. See Jang, S. J.
Ogbuji, L. U.; Mitchell, T. E.; and Heuer, A. H.
Beta→alpha transformation in polycrystalline SiC: III, The thickening of alpha plates (2) 91.

Ogbuji, L. U.; Mitchell, T. E.; Heuer, A. H.; and Shinozaki, Samuel S.
Beta→alpha transformation in polycrystalline SiC: IV, Comparison of conventionally sintered, hot-pressed, reaction-sintered, and chemically vapor-deposited samples (2) 100.

Ohno, Reiichi See Kagawa, Masahiro
Oishi, Y. See Ando, Ken
Ojha, P. N. See Singh, N. B.
Oka, Yoshio See Tomozawa, Minoru
Oka, Yoshio; Wahi, Joseph M.; and Tomozawa, Minoru
Effect of surface energy on the mechanical strength of a high-silica glass (8) 456.

Onoda, George Y., Jr. See Messing, Gary L.
Onorato, Paulette I. K.; Weinberg, Michael C.; and Uhlmann, Donald R.
Behavior of bubbles in glassmelts: III, Dissolution and growth of a rising bubble containing a single gas (11) 676.

Owen, Derrek G. See Taylor, Peter
Pabst, R. F. See Popp, G.
Page, T. F. See Jepps, N. W.
Pask, Joseph A. See Chandratreya, S. S.; Chiang, S. S.; Tomsia, Antoni P.
Pederson, L. R. See McVay, G. L.
Pepin, John G.; and McCarthy, Gregory J.
Phase relations in crystalline ceramic nuclear waste forms—the system UO_2+x-CeO_2-ZrO_2-ThO_2 at 1200°C in air (9) 511.

Petric, A.; Jacob, K. T.; and Alcock, C. B.
Thermodynamic properties of Fe_3O_4-$FeAl_2O_4$ spinel solid solutions (11) 632.

Petrovic, J. J.; and Stout, M. G.
Fracture of Al_2O_3 in combined tension/torsion: I, Experiments (11) 656; II, Weibull theory (11) 661.

Petuskey, William T.; and Bowen, H. Kent
Thermal segregation of cations in iron aluminate spinels (10) 611.

Popp, G.; and Pabst, R. F.
Effect of loading rate on fracture toughness of SiC at high temperatures (1) C18.

Pratt, P. L. See Jennings, H. M.
Priest, H. F. See Gazza, G. E.
Prioul, N. See Hilger, J. P.
Prochazka, Svante See Greskovich, Charles D.
Pujari, V. K. See Biswas, Dipak R.
Pulver, J. C. See Frechette, Van Derck
Purdy, Gary R. See Krstic, Vladimir D.
Rafaniello, William; and Cutler, Ivan B.
Preparation of sinterable cubic aluminum oxynitride by the carbothermal nitridation of aluminum oxide (10) C128.

Raj, Rishi
Morphology and stability of the glass phase in glass-ceramic systems (5) 245.; See also Dalal, K. H.

Raj, Rishi; and Morgan, P. E. D.
Activation energies for densification, creep, and grain-boundary sliding in nitrogen ceramics (10) C143.

Ramachandran, B. E.; Balasubramanian, N.; Rao, G. V. Subba; and Aravamudan, G.
Effect of organic acids on E-glass fabric (9) C122.

Rao, G. V. Subba See Ramachandran, B. E.
Rao, J. M. See Gancy, A. B.
Reddy, K. P. R.; and Cooper, A. R.
Oxygen diffusion in magnesium aluminate spinel (6) 368.

Revcolevschi, A. See Berger, J.
Rhodes, William H.
Agglomerate and particle size effects on sintering yttria-stabilized zirconia (1) 19.; Controlled transient solid second-phase sintering of yttria (1) 13.

Ricciardiello, F. See Longo, Vittorio

Rice, James R.; and Chuang, Tze-Jer
Energy variations in diffusive cavity growth (1) 46.
Rice, Roy W.; and Freiman, Stephen W.
Grain-size dependence of fracture energy in ceramics: II, Model for noncubic materials (6) 350.
Rice, Roy W.; Freiman, Stephen W.; and Becher, Paul F.
Grain-size dependence of fracture energy in ceramics: I, Experiment (6) 345.
Rice, Roy W.; McKinney, K. R.; and Ingel, R. P.
Grain boundaries, fracture, and heat treatment of commercial partially stabilized zirconia (12) C175.
Riess, I.; Braunshtein, D.; and Tannhauser, D. S.
Density and ionic conductivity of sintered $(CeO_2)_{0.82}(GdO_{1.5})_{0.18}$ (8) 479.
Rigby, F. See Ainscough, J. B.
Rindone, Guy E. See Shinkai, Norihiko; Williams, John A.; Zdaniewski, Wieslaw A.
Ritter, John E., Jr. See Jakus, Karl
Robertson, Wayne M.
Thermal etching and grain-boundary grooving of silicon ceramics (1) 9.
Rockett, Thomas J. See Yuh, Shang Jung
Rockett, Thomas J.; and Foster, W. R.
High-silica liquidus surface of the system Na_2O-B_2O_3-SiO_2 (11) C148.
Rosenfield, Alan R. See Shetty, Dinesh Kumar
Rossington, David R. See Frechette, Van Derck
Roth, Robert S. See Cava, R. J.
Routbort, J. L. See Scattergood, R. O.
Ruh, Robert See Mazdiyasni, K. S.
Runje, Vesna See Bezjak, Aleksandar
Rupaal, A. S.; Garnier, John E.; and Bates, J. Lambert
Dielectric breakdown of porous $MgAl_2O_4$ (7) C100.
Sakaguchi, Shigeki; and Kimura, Takao
Influence of temperature and humidity on dynamic fatigue of optical fibers (5) 259.
Sakai, Tosikazu
High-temperature strength of AlN hot-pressed with Al_2O_3 additions (3) 135.
Salamah, M. A.; and White, D.
Catalytic activity of nickel at the glass/metal interface in the porcelain enameling system (4) 224.
Sanders, David M.; Wilke, M. E.; Hurwitz, S.; and Haller, W. K.
Role of water vapor and sulfur compounds in sodium vaporization during glassmelting (7) 399.
Sass, S. L. See Carter, C. B.
Satyamurthy, K. See Singh, Jitendra P.
Scattergood, R. O.; and Routbort, J. L.
Transient and synergistic effects in solid-particle erosion of silicon (8) C104.
Schaeffer, Helmut A. See Loeh, Ingrid
Schulze, Walter A. See Granahan, M.
Searcy, Alan W. See Beruto, Dario
Service, T. See Jakus, Karl
Seshadri, S. G.; and Srinivasan, M.
Estimation of fracture toughness by intrinsic flaw fractography for sintered alpha silicon carbide (4) C69.
Shaisha, E. E.; and Cooper, A. R.
Ion exchange of soda-lime glass with univalent cations (5) 278; Residual stress in singly and doubly ion-exchanged glass (1) 34.
Sharaf, N. A. See Ahmed, A. A.
Sharma, R. K. See Chan, N.-H.
Sharma, R. K.; Chan, N.-H.; and Smyth, Donald M.
Solubility of TiO_2 in $BaTiO_3$ (8) 448.
Shetty, Dinesh Kumar See Virkar, Anil V.
Shetty, Dinesh Kumar; Rosenfield, Alan R.; Bansal, Girraj K.; and Duckworth, W. H.
Biaxial fracture studies of a glass-ceramic (1) 1.
Shibata, Shuichi See Mitachi, Seiko
Shih, C. See Singh, Jitendra P.
Shim, W. W. See Jacob, K. T.
Shindo, Isamu See Yamana, Kazuo
Shinkai, Norihiko; Bradt, R. C.; and Rindone, Guy E.
Fracture toughness of fused SiO_2 and float glass at elevated temperatures (7) 426.
Shinozaki, Samuel S. See Ogbuji, L. U.
Shinozaki, Samuel S.; and Milberg, Morton E.
Electron microscopy study of the effect of iron in reaction-sintered silicon nitride (7) 382.
Shirk, James S. See Wood, D. L.
Simmons, Catherine J.
Ion-exchange method for fabricating high-silica glasses (4) 200.
Simmons, Catherine J.; and Freiman, Stephen W.
Effect of corrosion processes on subcritical crack growth in glass (11) 683.
Simon, M. R. See Drummond, James L.
Simopoulos, A. See Maniatis, Y.
Sines, George See Giovan. M. N.
Singh, Jitendra P. See Thomas, J. R., Jr.
Singh, Jitendra P.; Satyamurthy, K.; Thomas, J. R., Jr.; and Hasselman, D. P. H.
Analysis of thermal stress resistance of partially absorbing ceramic plate subjected to asymmetric radiation: II, Convective cooling at front surface (3) 169.
Singh, Jitendra P.; Shih, C.; and Hasselman, D. P. H.
Effect of crack interaction on nature of strength loss in thermally shocked brittle ceramics (8) C106.
Singh, N. B.; and Ojha, P. N.
Changes in zeta potential during hydration of C_3S with and without $CaCl_2$ additions (7) C99.
Singh, Vipin Kant
Densification of alumina and silica in the presence of a liquid phase (10) C133.
Smyth, Donald M. See Chan, N.-H.; Sharma, R. K.
Smyth, Jay R. See Case, E. D.
Soga, Naohiro See Nasu, H.
Solomon, Alvin A.; Cochran, K. M.; and Habermeyer, J. A.
Isostatic hot-pressing of UO_2 (8) 472.
Somiya, Shigeyuki See Tani, Eiji
Sonder, E.; Spadaro, J. V.; and Weeks, Robert A.
Penetration of surface damage resulting from abrasion and heating of MgO crystals (4) C65.
Sonderman, D. See Jakus, Karl
Sotgiu, A. See Momo, F.
Soules, Thomas F.; and Varshneya, Arun K.
Molecular dynamic calculations of a sodium borosilicate glass structure (3) 145.
Spadaro, J. V. See Sonder, E.
Spinnler, Gerard E.; and Chang, Luke L. Y.
Phase relations in the systems A_2O-metal oxide-WO_3 (A = Li, Na; metal = Fe, Cr, Sn, Zr, Th, V) (9) 553.
Srinivasan, M. See Seshadri, S. G.
Starrett, H. S. See Gentilman, R. L.
Stewart, R. L.; Iwasa, M.; and Bradt, R. C.
Room-temperature K_{1C} values for single-crystal and polycrystalline $MgAl_2O_4$ (2) C22.
Stoneham, A. M.
Ceramic surfaces—theoretical studies (1) 54; See also Catlow, C. R. A.
Stout, M. G. See Petrovic, J. J.
Struble, Leslie J.; and Diamond, Sidney
Swelling properties of synthetic alkali silica gels (11) 652.
Sullivan, J. M. See Jakus, Karl
Sun, C. P. See Balluffi, R. W.
Suzuki, Hiroshige See Hase, T.; Iseki, T.
Suzuki, Suguru See Abe, Yoshihiro
Swain, Michael V. See Kirchner, Henry P.
Swift, H. R.
Effect of gamma radiation on the strength of plate glass of varying arsenic content (10) C145.
Syed, R.; Gavin, D. L.; Moynihan, Cornelius T.; and Lesikar, A. V.
Shape of complex resistivity arcs for ionically conducting glasses (9) C118.
Takahashi, Shiro See Mitachi, Seiko
Takamori, Takeshi See Takata, Masasuke
Takata, Masasuke See Acocella, J.; Yanagida, Hiroaki
Takata, Masasuke; Acocella, J.; Tomozawa, Minoru; and Watson, E. B.
Effect of water content on the electrical conductivity of Na_2O·$3SiO_2$ glass (12) 719.
Takata, Masasuke; Tomozawa, Minoru; and Takamori, Takeshi
Dielectric loss of microstructurally anisotropic borosilicate glass (5) 275.
Takei, H. See Ando, Ken
Takiar, H. P. See Wirtz, G. P.
Tanaka, Masami See Tatsumisago, Masahiro
Tanaka, T.
Equilibrium oxygen pressures of Mn-Zn ferrites (7) 419.
Tani, Eiji; Yoshimura, Masahiro; and Somiya, Shigeyuki
Hydrothermal preparation of ultrafine monoclinic ZrO_2 powder (12) C181.
Tannhauser, D. S. See Riess, I.
Tatsumisago, Masahiro; Minami, Tsutomu; and Tanaka, Masami
Rapid quenching technique using thermal-image furnace for glass preparation (7) C97.
Taylor, H. F. W. See Lachowski, Eric E.; Mohan K.
Taylor, Peter; and Owen, Derrek G.
Liquid immiscibility in the system K_2O-B_2O_3-SiO_2 (11) C158; Liquid immiscibility in the system Na_2O-ZnO-B_2O_3-SiO_2 (6) 360.
Taylor, R. W. See McKenzie, D. R.
Terada, Hiroya See Miyayama, Masaru
Thomas, Gareth See Goo, Edward K. W.
Thomas, J. R., Jr. See Singh, Jitendra P.
Thomas, J. R., Jr.; Singh, Jitendra P.; and Hasselman, D. P. H.
Analysis of thermal stress resistance of partially absorbing ceramic plate subjected to asymmetric radiation: I, Convective cooling at rear surface (3) 163.
Tiku, S. K. See El-Aiat, M. M.
Toda, Gyozo See Jyomura, Shigeru
Tokonami, Masayasu See Yamana, Kazuo
Tomozawa, Minoru See Acocella, J.; Clemens, K.; Cordaro, J. F.; Ito, Setsuro; Kawamoto, Y.; Markis, Joanne H.; Oka, Yoshio;
Takata, Masasuke; Takata, Masasuke
Tomozawa, Minoru; Oka, Yoshio; and Wahl, J. M.
Glass surface cracks caused by alkaline solution containing an alkaline-earth element (2) C32.
Tomsia, Antoni P.; and Pask, Joseph A.
Kinetics of iron-sodium disilicate reactions and wetting (9) 523.
Trantina, Gerald G.
Strength of beta-alumina tubes (3) C47.; Stress analysis of the seal in a sodium-sulfur battery cell (3) C48.
Tressler, Richard E. See Costello, J. A.; Easler, T. E.
Trigg, M. B.; and McCartney, E. R.
Comparison of the reaction systems ZrO_2-Si_3N_4 and TiO_2-Si_3N_4 (11) C151.
Tsong, I. S. T. See Costello, J. A.
Tuller, Harry L. See Dudney, N. J.
Tyson, R. Michael; and Chang, Luke L. Y.
Systems ZnO-Fe_2O_3-SnO_2 and MgO-Fe_2O_3-SnO_2 at 1060°C (1) C4.
Uchino, Kenji See Jang, S. J.
Uhlmann, Donald R. See Onorato, Paulette I. K.
Utsumi, Yoshikazu; Murakami, Tadaki; and Ishii, Isao
Reaction mechanism of H_3BO_3-ZnO bonding material under hot-pressing and heat treatment (11) C164.
Uyeda, Ryozi See Ando, Yoshinori
Van Uitert, L. G.
Melting-point relations for simple halides and oxides (9) 544.
Van Uitert, L. G.; and Grodkiewicz, W. H.
Arsenate glasses (12) 690.
Varela, Jose Arana See Whittemore, O. J., Jr.
Varshneya, Arun K. See Soules, Thomas F.
Veltri, R. D. See Galasso, Francis S.
Verweij, Henk
Raman study of arsenic-containing potassium silicate glasses (8) 493.
Viegers, M. P. A. See Franken, P. E. C.
Vincenzini, Pietro See Babini, G. N.
Virkar, Anil V.; Shetty, Dinesh Kumar; and Evans, A. G.
Grain-size dependence of strength (3) C56.
Vogel, E. M.; Johnson, D. W., Jr.; and Gyorgy, E. M.
Disaccommodation of Mn-Zn ferrite after temperature cycling (10) 624.
Wagner, Rudolf See Kosmac, Thomaz
Wahl, J. M. See Tomozawa, Minoru
Wahl, Joseph M. See Oka, Yoshio
Wang, H. A. See El-Aiat, M. M.
Wallace, J. S. See Claussen, Nils
Watson, E. B. See Acocella, J.; Takata, Masasuke
Weeks, Robert A. See Sonder, E.
Weinberg, Michael C. See Onorato, Paulette I. K.
Weaner, W. M. See Gancy, A. B.
White, D. See Salamah, M. A.
White, G. S.; Hosler, W. R.; and Castellano, T. J.
Temperature dependence in air of Fe^{2+} concentration and its relation to electrical conductivity in a natural eastern [New Hampshire] coal slag (11) 649.
White, Sharon Spencer See Biefeld, Renata M.
White, William B. See Fox, K. E.; Furukawa, Toshiharu
Whittemore, O. J., Jr.; and Varela, Jose Arana
Initial sintering of ZnO (11) C154.
Wilke, M. E. See Sanders, David M.
Williams, John A.; Rindone, Guy E.; and McKinstry, Herbert A.
Small-angle X-ray scattering [SAXS] analysis of nucleation in glass: I, Matrix scattering and sample surface effects (12) 697; II, Selenium ruby glasses (12) 702; III, Gold ruby glasses (12) 709.
Williams, Wendell S. See Mochel, Peggy
Wirtz, G. P.; and Takiar, H. P.
Oxygen diffusion in vapor-deposited indium oxide films (12) 748.
Wirtz, G. P.; Yu, C. J.; and Doser, R. W.
Defect chemistry and electrical properties of thallium oxide single crystals (5) 269.
Wittmer, Dale E.; and Buchanan, Relva C.
Low-temperature densification of lead zirconate-titanate with vanadium pentoxide additive (8) 485.
Wood, D. L.; and Shirk, James S.
Partition of hydrogen in the modified chemical vapor deposition process (6) 325.
Wu, C. Cm. See McDonough, W. J.
Wu, Cheng Chiung; and Mason, Thomas O.
Thermopower measurement of cation distribution in magnetite (9) 520.
Wuttig, Manfred; and Anderson, Harlan U.
Model for evaporation of a grain-boundary phase (1) C11.
Yamaguchi, Akira
Densification of Cr_2O_3-ZrO_2 ceramics by sintering (4) C67.
Yamaguchi, Takashi; and Koshu, Hideaki
Sintering of acicular Fe_2O_3 powder (5) C84.
Yamaguchi, Takayuki See Hirano, Shin-ichi
Yamana, Kazuo; Tokonami, Masayasu; Nobugai, Kohji; Morimoto, Nobuo; Koizumi, Mitsue; and Shindo, Isamu
Residual stress in siliceous glass between mullite crystals (3) C43.
Yamashita, K. See Iseki, T.
Yanagida, Hiroaki See Koumoto, Kunihito; Miyayama, Masaru
Yanagida, Hiroaki; Takata, Masasuke; and Nagai, Masayuki
Fabrication of translucent ZrO_2 film by a modified doctor blade method (2) C34.
Yoshimura, Masahiro See Tani, Eiji
Yoshimura, Masahiro; and Bowen, H. Kent
Electrical breakdown strength of alumina at high temperatures (7) 404.
Yoshiyagawa, M. See Clemens, K.
Yu, C. J. See Wirtz, G. P.
Yuh, Shang Jung; and Rockett, Thomas J.
System CaO-Al_2O_3-P_2O_5-H_2O at 200°C (8) 491.
Zaluzec, N. J. See Clarke, David R.
Zdaniewski, Wieslaw A.; and Rindone, Guy E.
Effect of H_2O vapor on the internal friction of binary alkali silicate glasses (12) C183.
Ziegler, G.; Rentsen, L. D.; and Hasselman, D. P. H.
Orientation effects on the thermal diffusivity of hot-pressed silicon nitride (2) C35.

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of *the Journal* and *Communications*; numbers following are *page* numbers.

Absorption,
- OH ir, surface and bulk, in ZrF_4- and HfF_4-based glasses. (3) C51

Acids,
H_3BO_3-ZnO, bonding material, reaction mechanism under hot-pressing and heat treatment. (11) C164
organic, effect on E-glass fabric. (9) C122

Additives,
AlN, effect on synthesis of cubic BN. (12) 734

Aluminum,
AlN, additions, effect on synthesis of BN. (12) 734
hot-pressed with Al_2O_3 additions, high-temp. strength. (3) 135
oxynitride, sinterable, preparation by nitridation of Al_2O_3. (10) C128
sulfate hydrates, dehydration of. (2) 119
sulfates, decomposition of, and resultant aluminas. (8) 436

Aluminum oxide,
Na beta and beta″, effect of air exposure on resistivity. (3) 125
ZrO_2-toughened, thermal stress behavior. (1) 37
beta-, tubes, strength of. (3) C47
crucibles, coating of, with MgO. (4) C74
crystals, prismatic slip under hydrostatic pressure. (9) 504
densification of, in presence of liquid phase. (10) C133
diffusion in, Fe tracer. (12) 744
enamels, plasma-sprayed on metal, degradation of. (8) C109
fracture of, combined tension/torsion. (11) 656; (11) 661
high-, ceramics, use for immobilization of nuclear wastes. (5) 249
milling of, reactions during. (4) C62
nitridation, preparation of sinterable Al oxynitride by. (10) C128
plasma-sprayed, on metal substrates, delayed failure of. (12) 737
doped with Fe and/or Ti, high temp. conductivity and creep. (3) 174
strength, electrical breakdown, at high temps. (7) 404
thermal shock, effect of water bath temp. on. (1) C17

Analysis,
Raman, of As-containing K silicate glasses. (8) 493
X-ray, of transformation depths in ceramics containing tetragonal ZrO_2. (4) C72
X-ray scattering, of nucleation in glass. (12) 697; (12) 702; (12) 709
electron diffraction and . .icroscopy, of grain-boundary structure. (6) 335
electron microscopic, of cement pastes. (12) 717; (6) 319
of cement pastes—comment. (4) C80
of morphological development of hydrating C_3S. (10) 567
electron microscopy, of cement pastes—reply. (4) C80
of effect of Fe in reaction-sintered Si_3N_4. (7) 382
stress, of seal in Na-S batteries. (3) C48
thermal stress resistance, of brittle plate subjected to asymmetric radiation. (3) 163; (3) 169
thermoelectric, of cobaltous oxide defect structure. (10) C130

Anisotropy,
in diffusivity, thermal, of Si_3N_4-BN composites. (9) C117

Annealing,
glass, flat, schedule for. (2) 109
nonlinear, of glass. (2) 114

Antimony,
Sb_2O_3, doping, stabilization of beta-Bi_2O_3 by. (1) C19

Arsenic,
glasses. (12) 690

Barium,
$BaCl_2$ and $BaCO_3$, interaction at elevated temps. (7) C101
hexaferrite, isotropic and textured, fracture of. (7) 390

Barium, titanate,
PTC effect in, as a function of doping with 3*d* elements. (10) 617
acceptor-doped, reversible wt change of. (10) 590
porous, effect of stoichiometry on PTCR. (12) C170
semiconducting, effect of microstructure on PTCR. (11) 639
solubility of TiO_2 in. (8) 448
undoped, nonstoichiometry in. (9) 556

Batteries,
Na-S, stress analysis of seal in. (3) C48

Belite,
unusual form of, in portland cement clinkers. (9) C120

Bonding,
materials, H_3BO_3-ZnO, reaction mechanism under hot-pressing and heat treatment. (11) C164

Boron,
B_4C, solubility and diffusion of Si in. (3) C58
BN, cubic, effects of AlN additions and atm on synthesis. (12) 734
BN-Si_3N_4, high/low modulus composites for improved electrical and thermal shock behavior. (7) 415
redistribution, in sintered alpha-SiC during thermal oxidation. (6) 332

Brick industry,
Bi_2O_3, beta-, stabilization by Sb_2O_3 doping. (1) C19

Brittle materials,
plates, subjected to asymmetric radiation, analysis of thermal stress resistance. (3) 163; (3) 169
structural, strength of, use of beam or plate theories to determine Young's modulus. (5) C86
thermally shocked, effect of crack interaction on strength. (8) C106

Bubbles,
in glassmelts, behavior of. (11) 676

Building materials,
brittle, beam or plate theories, to determine Young's modulus. (5) C86

Calcium,
$Ca_2Zn_4Ti_{15}O_{36}$, new type structure, preparation and identification of. (2) 80
$CaCl_2$, dissolved in concrete mix water, fate of. (11) C162
CaF_2, pure and YF_3-doped crystals, self-diffusion of ^{45}Ca and ^{88}Y in. (10) 594
CaO, particles, vapor-phase hydration of. (2) 74

Carbides,
Y_2OC, identification of. (5) C82

Cements,
C_3S, with and without $CaCl_2$, changes in zeta potential during hydration. (7) C99
C_3S, hydrating, morphological development, electron microscopic study of. (10) 567
pastes, analytical electron microscopy of—comment on. (2) C39
electron microscopic analysis of. (12) 717; (6) 319; (4) C80
electron microscopic anaylsis of—reply. (4) C80
electron microscopy of—reply to comment on. (2) C40
hardened, acoustic emission in drying of. (7) 410
clinkers, unusual form of belite in. (9) C120

Ceramic materials,
containing tetragonal ZrO_2, X-ray determination of transformation depths. (4) C72
fracture energy, grain-size dependence of. (6) 345; (6) 350
indentation damage in, elastic/plastic—comment on. (11) C165
shock in, thermal, quantitative studies. (5) 296
strength, strain-rate-dependent compressive, mechanisms responsible for. (2) C33
toughening of, by circumferential microcracking. (7) 394

Ceramics,
oxides, structure of high-angle grain boundaries. (1) 23

Cermets,
Mo/Al_2O_3, thermal diffusivities of. (10) C136

Chemical properties,
durability, of Na silicate glasses containing Al_2O_3 and ZrO_2. (4) 188

Chemistry,
defect, of Fe-aluminate spinels. (2) 86

Chlorination,
gaseous-transport-controlled, of CoO. (5) 302

Chromium,
Cr_2O_3-ZrO_2, densification by sintering. (4) C67

Clays,
fired, Fe oxide transformation in, effect of Ca content, Moessbauer study. (5) 263

Coatings,
MgO, on Al_2O_3 crucibles. (4) C74

Cobalt,
Co_3O_4, pure and Li-substituted, electrical conduction in. (11) C156
CoO, chlorination of, gaseous-transport-controlled. (5) 302
cobaltous oxide, defect structure, thermoelectric study. (10) C130

Colloids,
alkali silica, synthetic, swelling properties. (11) 652

Coloring,
of glasses, reduced phosphate. (4) 206

Compacts,
SiC, 6*H*−3*C* reverse transformaton in. (12) C177
ZnO, initial sintering of. (11) C154

Composites,
LiF-MgF_2, precipitated, fracture of. (11) 644
PZT and epoxy, for hydrostatic transducers. (1) 5
Si_3N_4-BN, anisotropy effects in thermal diffusivity. (9) C117
for improved electrical and thermal shock behavior. (7) 415
mullite-ZrO_2, in-situ-reacted, sintered, mechanical properties—comment. (4) C78; (4) C79

Concretes,
mix water, fate of $CaCl_2$ dissolved in. (11) C162

Conductivity, electrical,
in Co_3O_4, pure and Li-substituted. (11) C156
of $MgAl_2O_4$ and $Y_3Al_5O_{12}$. (10) C138
of UO_2, pure and Y_2O_3-doped. (11) 627
of glasses, Fe_2O_3-CaO-SiO_2. (4) C63
Na_2O-$3SiO_2$, effect of water content on. (12) 719
of slags, natural Eastern [N.H.] coal, relation to temp. depencence in air of Fe^{2+} concentration. (11) 649

Conductivity, ionic,
of $(CeO_2)_{0.82}(GdO_{1.5})_{0.18}$, sintered. (8) 479
high-temp., of Al_2O_3 doped with Fe and/or Ti. (3) 174
of spinels, magnetite and Fe-aluminate. (4) 237
super-, glasses with, in system Ag_2S-$AgPO_3$. (4) 242

Conductors, ionic,
glass, shape of resistivity arcs for. (9) C118
Corrosion,
electrochemical, of Fe Mn aluminate spinel and La chromite in molten K sulfate. (1) C2
of glass, effect on subcritical crack growth. (11) 683
of refractories, AZS and fireclay, in contact with Pb glasses. (4) 213
stress, of SiO_2 glass. (11) C158
Coupling,
planar, coeff. in PZT, effect of microcracking on. (10) C141
Cracking,
of glass, effect of liquids on crack growth—correction. (2) 124
micro-, circumferential, toughening of ceramics by. (7) 394
effect on planar coupling coeff. of PZT. (10) C141
stress induced, at second-phase inclusions. (3) 138
Cracks,
in MgF_2, slow growth of. (9) 563
branching, in transformation-toughened ZrO_2. (9) 529
indentation damage, elastic/plastic, in ceramics—comment on. (11) C165
interaction, effect on strength of thermally shocked brittle materials. (8) C106
radial, in glasses, post-indentation growth of. (8) C112; (8) C112
spherical void and surface pit, refinement of stress intensity factor estimates for. (1) C3
stability, in work-of-fracture tests. (11) 671
subcritical, in glass, effect of corrosion processes on growth. (11) 683
surface, in glass, caused by alkaline solution. (2) C32
velocity equations, dependency of fatigue predictions on form of. (6) 372
Creep,
of Si_3N_4, hot-pressed, activation energies for. (10) C143
cavities, energy variations in diffusive growth of. (1) 46
thermal, of Nb_2O_5-doped UO_2, effect of O_2 potential on. (5) 315
Crystalline materials,
$Ca_2Zn_4Ti_{15}O_{36}$, new type structure, preparation and identification of. (2) 80
MgO, characterization of grain-boundary segregation. (7) 385
grain size, determination of. (2) C24
strength of, grain-size dependence. (3) C56
zircon, solution-gelation method of preparing. (11) C149
Crystallization,
in glass-ceramics, beta-spodumene, kinetics of. (4) 194
Crystals,
Al_2O_3, prismatic slip under hydrostatic pressure. (9) 504
CaF_2, pure and YF_3-doped, self-diffusion of ^{45}Ca and ^{88}Y in. (10) 594
$(CeO_2)_{0.82}(GdO_{1.5})_{0.18}$, sintered, density and ionic conductivity. (8) 479
$Fe_{1-x}O$, elastic constants. (11) C153
MgO, surface damage from abrasion and heating, penetration of. (4) C65
Tl_2O_3, defect chemistry and electrical properties. (5) 269
wustite, thermoelectric power, measurement of. (4) 220
Currents,
thermally stimulated, in Na silicate glasses. (2) 61

Decomposition,
of sulfates, Al, and resultant aluminas. (8) 436
thermal, of Ge oxynitride—correction. (8) C114
of oxynitride of Ge. (2) C25
Defects,
flaw growth, in static fatigue, micromechanics. (6) 322
flaw populations, concurrent, in SiC—correction. (6) C94
populations, concurrent, in SiC. (3) C53
semielliptical flaw, in glass surface, method of producing. (2) C26
Dehydration,
of Al sulfate hydrates. (2) 119
Densification,
of Al_2O_3 and SiO_2, in presence of liquid phase. (10) C133
of Cr_2O_3-ZrO_2, by sintering. (4) C67
of Si_3N_4, hot-pressed, activation energies. (10) C143
of Si_3N_4-Y_2O_3/Al_2O_3, by dual N_2 pressure process. (11) C161
low-temp., of PZT with V_2O_5 additive. (8) 485
Density,
of $(CeO_2)_{0.82}(GdO_{1.5})_{0.18}$, sintered. (8) 479
Deposition,
CVD, synthesis of beta-Si_3N_4 by. (6) C88
MCVD, of glass fibers, partition of H_2 in. (6) 325
Deuterium,
treatment, of fused SiO_2. (12) C178
Dielectric properties,
breakdown, of porous $MgAl_2O_4$. (7) C100
loss, of microstructurally anisotropic borosilicate glass. (5) 275
of relaxors, ferroelectric, in system $Pb(Mg_{1/3}Nb_{2/3})O_3$:$PbTiO_3$:$Ba(Zn_{1/3}Nb_{2/3})O_3$. (4) 209
strength, relaxation, of low-alkali glass. (12) 713
Diffusion,
Fe tracer, in Al_2O_3. (12) 744
of Si, in B_4C. (3) C58
oxygen, in Mg aluminate spinel. (6) 368
in vapor-deposited In_2O_3 films. (12) 748
self-, of ^{45}Ca and ^{88}Y in pure and YF_3-doped CaF_2 crystals. (10) 594
of O_2 in single-crystal forsterite. (2) C30
Diffusivity,
thermal, of Mo/Al_2O_3 cermets. (10) C136
Si_3N_4-BN composites, anisotropy effects in. (9) C117
of hot-pressed Si_3N_4, orientation effects on. (2) C35
Dislocations,
surface, from abrasion and heating of MgO crystals, depth of penetration. (4) C65

Elasticity,
constants, of Fe_{1-x} crystals. (11) C153
Electrical properties,
breakdown strength, of Al_2O_3 at high temps. (7) 404
of crystals, Tl_2O_3. (5) 269
Emission,
acoustic, in drying of hardened cement paste and mortar. (7) 410
in fracture of glass plates. (10) 585
Enameling,
porcelain, catalytic activity of Ni at glass/metal interface. (4) 224
Enamels,
Al_2O_3, plasma-sprayed on metal, degradation of. (8) C109
Energy,
Gibbs, of formation of Pb zirconate. (10) 573
activation, for densification, creep, and grain-boundary sliding in hot-pressed Si_3N_4. (10) C143
of formation, of sialons, mass spectrometric study—correction. (2) 124
fracture, in ceramics, grain-size dependence of. (6) 345; (6) 350
fracture surface, of ThO_2, temp. dependence of. (6) 355
surface, effect on mechanical strength of high-SiO_2 glasses. (8) 456
variations, in diffusive cavity growth. (1) 46
Equations,
crack velocity, dependency of fatigue predictions on form of. (6) 372
double-torsion, for fracture toughness of glass-ceramics, verification of. (7) C98
Equilibrium,
defect, in transition metal oxides. (4) 234
Erosion,
data, correlation with elastic-plastic impact models. (3) C59
solid-particle, of Si, transient and synergistic effects. (8) C104
Etching,
thermal, of Si. (1) 9
Evaporation,
gas, preparation of ultrafine SiC particles by. (1) C12
of grain-boundary phase, model for. (1) C11

Fatigue,
dynamic, of abraded glass, residual stresses in. (1) C6
of optical fibers, effect of temp. and humidity on. (5) 259
predictions, dependency on form of crack velocity equation. (6) 372
static, micromechanics of flaw growth. (6) 322
Ferrites,
Mn-Zn, disaccommodation after temp. cycling. (10) 624
equilibrium O_2 pressures of. (7) 419
Ferroelectrics,
$PbNb_2O_6$, grain-oriented. (4) C68
relaxors, in system $Pb(Mg_{1/3}Nb_{2/3})O_3$:$PbTiO_3$:$Ba(Zn_{1/3}Nb_{2/3})O_3$, dielectric properties. (4) 209
Fibers,
E-glass, effect of organic acids on. (9) C122
PZT, continuous poling technique for. (1) C8
in glasses, Na_2O-SiO_2, effect on phase separation. (1) C20
optical, dynamic fatigue of, effect of temp. and humidity. (5) 259
glass system SiO_2-B_2O_3-BaO-Na_2O for. (12) 692
Films,
Au, condensed on glass, coalescence of. (8) 463
In_2O_3, vapor-deposited, O diffusion in. (12) 748
ZrO_2, translucent, fabrication by modified doctor blade method. (2) C34
Flow,
plastic, of NaCl, effect of gamma radiation on. (2) 105
Fluorides,
LiF-MgF_2, solid solutions, precipitation in. (8) 451
MgF_2-LiF, solid solutions, sintering of. (8) 460
Formation,
of PZT, solid solutions, reaction mechanisms. (7) 422
of Pb zirconate, Gibbs energy. (10) 573
Forsterite,
crystals, self-diffusion coeff. of O_2 in. (2) C30
Fracture,
of Ba hexaferrite, isotropic and textured. (7) 390
of ZrO_2, partially stabilized. (12) C175
biaxial, studies of glass-ceramics. (1) 1
catastrophic, of glass, effects of liquids on crack growth—correction. (2) 124
combined tension/torsion, of Al_2O_3. (11) 656; (11) 661
of composites, LiF-MgF_2 precipitated. (11) 644
delayed, of plasma-sprayed Al_2O_3 on metallic substrates. (12) 737
energy, in ceramics, grain-size dependence of. (6) 345; (6) 350
of glass plates, acoustic emission in. (10) 585
of glasses, ion-exchanged, model for. (3) 141
indentation, elastic/plastic, in ceramics—reply to comments on. (12) C182
strength, of machinable glass-ceramics, verification of double-torsion equation. (7) C98
toughness, of SiC, effect of loading rate on. (1) C18
of chalcogenide glasses of system Se-Ge-As. (11) C150
critical evaluation of indentation techniques for measuring. (9) 533; (9) 539
of sintered alpha-SiC, estimation by flaw fractography. (4) C69
Friction,
internal, of binary alkali silicate glasses, effect of water vapor on. (12) C183
Fuels,
nuclear, stainless steel-clad mixed-oxide, effect of burnup on response to thermal transients. (7) 375
Furnaces,
glassmelting, proposed definition for thermal efficiency of. (6) C91
thermal-image, for rapid quenching of glass. (7) C97

Gadolinium,
Gd_2O_3, grain-size determinations. (2) C24
Germanium,
joining of SiC by. (1) C13
oxynitride, thermal decomposition of. (2) C25
Glass industry,
models, computer, of float ribbon stretching. (11) 666
Glass-ceramics,
beta-spodumene, kinetics of dissolution and crystallization. (4) 194
commercial, fracture strength and mirror size. (2) 82
fracture studies of, biaxial. (1) 1
machinable, fracture toughness, verification of double-torsion equation. (7) C98
strength of, effect of machining damage. (9) C121
systems, morphology and stability of glass phase. (5) 245
Glass,
B_2O_3-SiO_2, heat-treated, Raman spectroscopy. (8) 443

BaO-B_2O_3, liquid-liquid immiscibility in. (6) C91
E-glass fabric, effect of organic acids on. (9) C122
Fe_2O_3-CaO-SiO_2, Debye temp. and electrical conduction of. (4) C63
Fe-Na disilicate, kinetics of reactions and wetting. (9) 523
K silicate, As-containing, Raman study. (8) 493
Na silicate, containing Al_2O_3 and ZrO_2, chemical durability. (4) 188
phase-separated, Na motion in. (4) 227
Na_2O-B_2O_3-SiO_2, effects of MoO_3 on phase separation. (5) 292
Na_2O-CaO, ion exchange with univalent cations. (5) 278
Na_2O-SiO, effect of F on phase separation. (1) C20
Na_2O-$3SiO_2$, effect of water content on electrical conductivity. (12) 719
Na_2O-CaO-SiO_2, improved impact resistance through ZnO substitutions. (11) C157
Pb, corrosion of AZS and fireclay refractories in contact with. (4) 213
Pb silicate, EPR of V(IV) in. (6) C93
SiO_2, fused, fracture toughness at high temps. (7) 426
SiO_2, stress corrosion of. (11) C160
TiO_2-SiO_2, effects of preparation history on. (8) C110
ZrF_4- and HfF_4-based, surface and bulk $-OH$ ir absorption in. (3) C51
abraded, dynamic fatigue, residual stresses in. (1) C6
alkali borate, states of S in—correction. (6) 374
alkali silicate, binary, effect of water vapor on internal friction. (12) C183
annealing of, nonlinear. (2) 114
arsenate. (12) 690
borate, high-alkali, irradiated, visible spectroscopy. (3) 158
borosilicate, Na, molecular dynamic calculations of structure. (3) 145
microstructurally anisotropic, dielectric loss of. (5) 275
chalcogenide, of system Se-Ge-As, fracture toughness. (11) C150
crack growth in, subcritical, effect of corrosion processes. (11) 683
cracks, surface, caused by alkaline solution. (2) C32
cracks in, radial, post-indentation slow growth of. (8) C112; (8) C112
catastropic, effects of liquids on crack growth—correction. (2) 124
fibers, partition of H_2 in MCVD process. (6) 325
flat, schedule for annealing. (2) 109
float, fracture toughness at high temps. (7) 426
stretching, computer simulation of. (11) 666
high-SiO_2, effect of surface energy on mechanical strength. (8) 456
ion-exchange method for fabricating. (4) 200
ion-exchanged, crack-growth and fracture model for. (3) 141
ion-exchanging, singly and doubly, residual stress in. (1) 34
leaching, effect of gamma radiation on. (3) 154
low-alkali, dielectric relaxation strength. (12) 713
melting, Na vaporization during, role of water vapor and S compounds. (7) 399
-melts, Na_2O-CaO-SiO_2, oxidation state during refining, continuous determination of. (12) C168
behavior of bubbles in. (11) 676
silicate, vapor pressures of. (2) C28
metaphosphate, luminescence of Fe^{3+} in. (3) C42
mixed-alkali effect in, weak-electrolyte models for. (1) 40
nucleation in, X-ray scattering analysis. (12) 697; (12) 702; (12) 709
phosphate, free volume of. (1) C14
mixed-alkali, irradiated, visible spectroscopy of. (3) 158
reduced, thermochromism in. (4) 206
photochromic, darkening kinetics, at high excitation levels. (1) C9
plates, acoustic emission during fracture. (10) 585
with varying As content, effect of γ radiation on strength. (10) C145
porous, dehydroxylation with Cl. (3) 150
quenching, using thermal-image furnace. (7) C97
radiation-coloration-resistant, with high water content. (5) C83
silicate, Na, thermally stimulated currents in. (2) 61
siliceous, between mullite crystals, residual stress in. (3) C43
surface, producing a semielliptical flaw in. (2) C26
systems, Ag_2S-$AgPO_3$, superionic conducting. (4) 242
Na_2O-ZnO-B_2O_3-SiO_2, liquid immiscibility in. (6) 360
SiO_2-B_2O_3-BaO-Na_2O, for optical fibers. (12) 692
toughening of, by metallic particles. (9) 499
by metallic particles—correction. (10) 626

Gold,
films, condensed on glass, coalescence of. (8) 463

Grain boundaries,
MgO, Pt condensation on. (4) C73
of ZrO_2, partially stabilized. (12) C175
creep cavities along, energy variations in diffusive growth. (1) 46
grooving, of Si. (1) 9
high-angle, in metals and ceramic oxides, structure of. (1) 23
structure, electron diffraction and microscopy techniques for studying. (6) 335

Grain growth,
anomalous, in PLZT. (3) C55

Halides,
and oxides, melting-point relations. (9) 544

Heat,
capacity, of oxynitrides of Si and Ge. (2) C25
of oxynitrides of Si and Ge—correction. (8) C114
of formation, of sialons, mass spectrometric study—correction. (2) 124
treatment, of partially stabilized ZrO_2. (12) C175

Humidity,
effect of, on dynamic fatigue of optical fibers. (5) 259

Hydration,
of cements, C_3S with and without $CaCl_2$, changes in zeta potential during. (7) C99
vapor-phase, of submicrometer CaO particles. (2) 74

Hydrogen,
partition of, in MCVD of glass fibers. (6) 325

Immiscibility,
liquid, in system K_2O-B_2O_3-SiO_2. (11) C158
in system Na_2O-ZnO-B_2O_3-SiO_2. (6) 360
liquid-liquid, in BaO-B_2O_3. (6) C91

Impact,
models, elastic-plastic, correlation of erosion data with. (3) C59
resistance, in Na_2O-CaO-SiO_2 glasses, improvement through ZnO substitutions. (11) C157

Indentation,
elastic/plastic, damage in ceramics—comment on. (11) C165
fracture, of ceramics—reply to comments on. (12) C182
static, in ZnS, size relations for. (2) C27
tests, for measuring fracture toughness, critical evaluation of. (9) 533; (9) 539

Indium,
In_2O_3, vapor-deposited films, O diffusion in. (12) 748

Ions,
cation, distribution in magnetite, thermopower measurement of. (9) 520
distribution of Fe-aluminate spinels. (2) 86
cations, in Fe aluminate spinels, thermal segregation of. (10) 611
univalent, ion exchange of Na_2O-CaO glass with. (5) 278

Iron,
Fe^{3+}, in metaphosphate glasses, luminescence of. (3) C42
Fe_2O_3, acicular powders, sintering of. (5) C84
$Fe_{1-x}O$, crystals, elastic constants. (11) C153
Fe^{2+}, concentration in natural Eastern [N.H.] coal slag, relation of temp. dependence in air to electrical conductivity. (11) 649
in Si_3N_4, reaction-sintered, effect of, electron microscopy study. (7) 382
oxide, transformations in fired clays, effect of Ca content on, Moessbauer study. (5) 263
tracer, diffusion in Al_2O_3. (12) 744

Joining,
SiC, self-bonded, by Ge. (1) C13

Kinetics,
darkening, of photochromic glass at high excitation levels. (1) C9
of dissolution and crystallization, in beta-spodumene glass-ceramics. (4) 194
oxidation, of hot-pressed and sintered alpha-SiC. (6) 327
of reactions and wetting, of Fe-Na disilicate. (9) 523; (9) 523

Lanthanum,
solubility of, in Sr titanate. (4) C75

Leaching,
of glasses, effect of gamma radiation on. (3) 154

Lead,
PLZT, anomalous grain growth in. (3) C55
doped with Mn, Fe, and Al, defect structure. (5) 283
PZT, with V_2O_5 additive, low-temp. densification of. (8) 485
and epoxy composites, for hydrostatic transducers. (1) 5
fibers, continuous poling technique for. (1) C8
planar coupling coeff., effect of cracking on. (10) C141
solid solutions, reaction mechanisms in formation of. (7) 422
solid state reactions in. (12) C172
$Pb(Zr_{0.52}Ti_{0.48})O_3$, TEM study. (9) 517
$PbNb_2O_6$, grain-oriented. (4) C68
zirconate, Gibbs energy of formation. (10) 573

Luminescence,
of Fe^{3+}, in metaphosphate glasses. (3) C42

Machining,
damage, in glass-ceramics, effect on strength. (9) C121

Magnesium,
porous, dielectric breakdown of. (7) C100
room-temp. K_{1C} values for. (2) C22
$MgAl_2O_4$, electrical conductivity. (10) C138
MgF_2, slow crack growth in. (9) 563
crystals, surface damage from abrasion and heating, penetration of. (4) C65
fine-grained, mechanical properties at large compressive strains—correction. (2) 124
grain boundaries, Pt condensation on. (4) C73
grain-boundary segregation, characterization of. (7) 385
ultrafine, preparation by spray-ICP. (1) C7
aluminate, spinel, O diffusion in. (6) 368

Magnetite,
cation distribution in, thermopower measurement. (9) 520

Materials,
bonding, H_3BO_3-ZnO, reaction mechanisms under hot-pressing and heat treatment. (11) C164
capacitor, $SrTiO_3$ boundary-layer, microstructure of. (12) 687
ceramic, strength at high temps. under tension. (2) 68

Measurement,
galvanic cell, with stabilized ZrO_2 and Pt probes. (10) 621
power, thermoelectric, in wustite. (8) 431
thermopower, of cation distribution in magnetite. (9) 520

Mechanical properties,
of MgO, fine-grained, at large compressive strains—correction. (2) 124
of composites, sintered, in-situ-reacted mullite-ZrO_2—comment. (4) C78; (4) C79

Mechanics,
micro-, of flaw growth in static fatigue. (6) 322

Melting,
-point relations, for simple halides and oxides. (9) 544

Melts,
glass, behavior of bubbles in. (11) 676
silicate, vapor pressures of. (2) C28
glass-, Na_2O-CaO-SiO_2, oxidation state during refining. (12) C168

Metals,
grain boundaries, high-angle, structure of. (1) 23
transition, oxides, defect equilibria in. (4) 234

Microscopy,
TEM, of $Pb(Zr_{0.52}Ti_{0.48})O_3$. (9) 517
electron. (2) C39
analysis of cement pastes. (12) 717; (6) 319
of cement pastes—reply to comment on. (2) C40

Milling,
of Al_2O_3, reactions during. (4) C62

Models,
computer, of float glass stretching. (11) 666
crack-growth, for ion-exchanged glass. (3) 141

for evaporation, of grain-boundary phase. (1) C11
impact, elastic-plastic, correlation of erosion data with. (3) C59
weak-electrolyte, for mixed-alkali effect in glass. (1) 40

Molybdenum,
/Al_2O_3, cermets, thermal diffusivities of. (10) C136
MoO_3, effect on phase separation of Na_2O-B_2O_3-SiO_2 glasses. (5) 292

Morphology,
of cements, hydrating C_3S, electron microscopy study. (10) 567
of glass phase, in glass-ceramic systems. (5) 245

Mortars,
hardened, acoustic emission in drying of. (7) 410

Mullite,
-ZrO_2, composites, sintered, in-situ-reacted, mechanical properties—comment. (4) C78
sintered, in-situ-reacted composites, mechanical properties—reply. (4) C79
crystals, residual stress in siliceous glass between. (3) C43

Nickel,
catalytic activity, at glass/metal interface in porcelain enameling. (4) 224

Nitridation,
of Si, effect of Fe, Ti, and Hf on. (9) 549

Nitrides,
oxy-, of Si and Ge, heat capacities. (2) C25
of Si and Ge, thermal decomposition and heat capacity—correction. (8) C114
Si, thermodynamic properties. (9) C124

Nitrogen,
pressure, sintering of Si_2N_4-Y_2O_3. (1) C15

Nuclear materials,
ThO_2, fracture surface energy, temp. dependence of. (6) 355
UO_2, isostatic hot-pressing of. (8) 472
UO_2, pure and Y_2O_3-doped, electrical conductivity of. (11) 627
Y_2OC, modification of. (5) C82
fuels, stainless steel-clad mixed-oxide, effect of burnup on response to thermal transients. (7) 375
pellets, high-density ThO_2-UO_2, fabrication of. (2) C37
wastes, dissolution of intergranular amorphous phase in. (6) C89
high-Al_2O_3 tailored. (5) 249
phase relations in system UO_2+x-CeO_2-ZrO_2-ThO_2. (9) 511

Nucleation,
in glass, X-ray scattering analysis. (12) 709
in glasses, X-ray scattering analysis. (12) 697; (12) 702

Optical materials,
fibers, from glasses in system SiO_2-B_2O_3-BaO-Na_2O. (12) 692
glasses, radiation-coloration-resistant, with high water content. (5) C83

Orientation,
effect on thermal diffusivity, of hot-pressed Si_3N_4. (2) C35
of particles, characterization by EPR. (10) C129

Oxidation,
of Si_3N_4, phase changes during. (3) C45
of Si_3N_4, hot-pressed with CeO_2. (10) 578
of SiC, under load, strength distributions after. (12) 731
kinetics, of hot-pressed and sintered alpha-SiC. (6) 327
state, in Na_2O-CaO-SiO_2 glassmelt during refining, continuous determination of. (12) C168
thermal, of sintered alpha-SiC, B redistribution during. (6) 332

Oxygen,
diffusion, in vapor-deposited In_2O_3 films. (12) 748
equilibrium pressures, of Mn-Zn ferrites. (7) 419
potential, effect on thermal creep of Nb_2O_5-doped UO_2. (5) 315
self-diffusion, in single-crystal forsterite, coeff. (2) C30
vacancy concentrations, of acceptor-doped $BaTiO_3$. (10) 590

Particles,
CaO, vapor-phase hydration of. (2) 74
SiC, ultrafine, preparation by gas evaporation. (1) C12
ceramic, characterization of orientations by EPR. (10) C129
metallic, toughening of glasses by. (9) 499
toughening of glasses by—correction. (10) 626

Pastes,
cement, analytical electron microscopy of—comment on. (2) C39
electron microscopic analysis of—comment. (4) C80; (4) C80
electron microscopy of—reply to comment on. (2) C40

Pellets,
ThO_2-UO_2, high-density, fabrication of. (2) C37

Permeability,
disaccommodation, of Mn-Zn ferrite after temp. cycling. (10) 624

Phase equilibria,
diagrams, revised, for ThO_2-Nb_2O_5. (4) C64
of system Bi_2O_3-PbO. (3) 182
immiscibility, liquid, in system K_2O-B_2O_3-SiO_2. (11) C158
immiscibility boundaries, of systems K_2O-SiO_2, K_2O-Li_2O-SiO_2, K_2O-Na_2O-SiO_2, and K_2O-BaO-SiO_2. (5) 289
relations, melting-point, for halides and oxides. (9) 544
solid state, in systems BeO-MgO-CeO_2, SrO-MgO-CeO_2, BaO-MgO-CeO_2, and BaO-CaO-CeO_2. (2) C38
in system A_2O-metal oxide-WO_3(A = Li, Na; metal = Fe, Cr, Sn, Zr, Th ,V). (9) 553
in system UO_2+x-CeO_2-ZrO_2-ThO_2, nuclear waste. (9) 511
in systems Si-Sc-O-N. (4) C77
systems, CaO-Al_2O_3, mass-spectrometric and electrochemical studies. (5) 307
CaO-Al_2O_3-P_2O_5-H_2O. (8) 491
Na_2O-B_2O_3-SiO_2, high-SiO_2 liquidus surface of. (11) C148
PbO-TiO_2-ZrO_2, solid state reactions in. (12) C172
ZnO-Fe_2O_3-SnO_2 and MgO-Fe_2O_3-SnO_2. (1) C4
gamma-Ca_2SiO_4-CaO, quantitative analysis. (3) 129

Phases,
amorphous, intergranular, in nuclear wastes, preferential dissolution of. (6) C89
grain-boundary, model for evaporation of. (1) C11
intergranular, in hot-pressed Si_3N_4. (10) 601; (10) 608

Photochromic materials,
glass, at high excitation levels, darkening kinetics. (1) C9

Platinum,
condensation, on MgO grain boundaries. (4) C73
probes, galvanic cell measurements with. (10) 621

Potassium,
sulfate, molten, electrochemical corrosion of Fe Mn aluminate spinel and La chromite in. (1) C2

Powders,
Fe_2O_3, acicular, sintering of. (5) C84
MgO, ultrafine preparation by spray-ICP. (1) C7
ZrO_2, ultrafine monoclinic, hydrothermal preparation of. (12) C181
binary, inhomogeneous, sintering of. (8) 468

Precipitates,
TiC, in TiB_2, spectroscopic study. (4) 185

Precipitation,
in LiF-MgF_2, solid solutions. (8) 451

Pressing,
hot-, N_2 pressure process for densification of Si_3N_4-Y_2O_3/Al_2O_3. (11) C161
isostatic, of UO_2. (8) 472

Pressure,
oxygen, equilibrium, of Mn-Zn ferrites. (7) 419
vapor, of silicate glassmelts. (2) C28

Probes,
ZrO_2 and Pt, galvanic cell measurements with. (10) 621

Quenching,
rapid, of glasses, using thermal-image furnace. (7) C97

Radiation,
gamma, effect on glass leaching. (3) 154
effect on plastic flow of NaCl. (2) 105
effect on strength of plate glass with varying As content. (10) C145

Reactions,
of $BaCl_2$ and $BaCO_3$, at elevated temps. (7) C101
of glasses, Fe-Na disilicate kinetics of. (9) 523
mechanisms, in systems ZrO_2-Si_3N_4 and TiO_2-Si_3N_4, comparison of. (11) C151
during milling, of Al_2O_3. (4) C62
solid state, in system PbO-TiO_2-ZrO_2. (12) C172

Refractories,
Si_3N_4, hot-pressed with CeO_2, oxidation of. (10) 578
crucibles, Al_2O_3, coated with MgO. (4) C74
fireclay and AZS, in contact with Pb glasses, corrosion of. (4) 213
tests, work-of-fracture, crack stability in. (11) 671

Relaxation,
time, of thermoelectric power of wustite. (2) C23

Resistivity, electrical,
of Al_2O_3, Na beta and beta″, effect of air exposure on. (3) 125
PTC effect, in $BaTiO_3$ as function of doping with 3*d* elements. (10) 617
PTCR, in porous $BaTiO_3$, effect of stoichiometry on. (12) C170
in semiconducting $BaTiO_3$, effect of microstructure on. (11) 639
arcs, for ionically conducting glasses, shape of. (9) C118

Resonance,
EPR, of V(IV) in Pb silicate glass. (6) C93
characterization of particle orientations by. (10) C129

Sapphire,
strength and transmittance of. (9) C116
strengthened. (9) C116

Seals and sealing,
in batteries, Na-S, stress analysis of. (3) C48

Segregation,
grain-boundary, in MgO, characterization of. (7) 385
thermal, of cations in Fe aluminate spinels. (10) 611

Semiconductors,
$BeTiO_3$, effect of microstructure on PTCR. (11) 639

Separation,
phase, of Na_2O-B_2O_3-SiO_2 glasses, effect of MoO_3 on. (5) 292
of Na_2O-SiO_2 glasses, effect of F on. (1) C20

Shock,
thermal, in ceramics, quantitative studies. (5) 296

Shock resistance,
thermal, of Al_2O_3, effect of water bath temp. on. (1) C17

Sialons,
formation of, heats and free energies, mass spectrometric study—correction. (2) 124

Silicon,
in B_4C, solubility and diffusion of. (3) C58
Si_3N_4, hot-pressed, microstructural studies. (2) C31
hot-pressed, orientation effects on thermal diffusivity. (2) C35
new polyphase alloy. (4) C77
phase changes during oxidation. (3) C45
reaction-sintered, electron microscopy study of effect of Fe in. (7) 382
Si_3N_4-BN, composites, for improved electrical and thermal shock behavior. (7) 415
Si_3N_4-Y_2O_3, under N_2 pressure. (1) C15
Si_3N_4, hot-pressed, intergranular phase in. (10) 601
Si_3N_4, high-density, preparation by gas-pressure sintering. (12) 725
hot-pressed with CeO_2, oxidation of. (10) 578
hot-pressed, activation energies for densification, creep, and grain boundary sliding. (10) C143
hot-pressed, intergranular phase in. (10) 608
Si_3N_4-Y_2O_3/Al_2O_3, densification by dual N_2 pressure process. (11) C161
SiC, alpha-, sintered, estimation of fracture toughness by flaw fractography. (4) C69
compacts, 6*H*−3*C* reverse transformation in. (12) C177
concurrent flaw populations in—correction. (6) C94
flaw populations in. (3) C53
fracture toughness, effect of loading rate on. (1) C18
polycrystalline, beta-alpha transformation in. (2) 91; (2) 100
self-bonded, joining of by Ge. (1) C13
strength distributions after oxidation under load. (12) 731
ultrafine particles, preparation by gas evaporation. (1) C12
ZrO_2-Si_3N_4 and TiO_2-Si_3N_4, systems, comparison of reaction mechanisms. (11) C151
alpha-SiC, hot-pressed and sintered, oxidation kinetics. (6) 327
sintered, B redistribution during thermal oxidation. (6) 332

beta-Si_3N_4, synthesis by CVD. (6) C88
erosion of, solid-particle, transient and synergistic effects. (8) C104
nitriding, second-stage, effect of Fe, Ti, and Hf on. (9) 549
oxynitride, thermodynamic properties. (9) C124
thermal etching, and grain-boundary grooving. (1) 9

Silicon dioxide,
alkali, synthetic gels, swelling properties. (11) 652
densification of, in presence of liquid phase. (10) C133
fused, D_2 treatment and ir spectra. (12) C178
glasses, ion-exchange method for fabricating. (4) 200

Sintering,
of Cr_2O_3-ZrO_2, densification by. (4) C67
of MgF_2-LiF, solid solutions. (8) 460
of Si_3N_4, region of high stability. (7) C96
of Si_3N_4-Y_2O_3, under N_2 pressure. (1) C15
ZrO_2, Y_2O_3-stabilized, agglomerate and particle size effects on. (1) 19
gas-pressure, preparation of high-density Si_3N_4 by. (12) 725
initial, of ZnO. (11) C154
of powders, acicular Fe_2O_3. (5) C84
inhomogeneous binary. (8) 468
second-phase, of Y_2O_3. (1) 13

Slags,
natural Eastern [N.H.] coal, relation of electrical conductivity to temp. dependence in air of Fe^{2+} concentration. (11) 649

Sodium,
NaCl, effect of gamma radiation on plastic flow. (2) 105
motion, in phase-separated Na silicate glasses. (4) 227
vaporization, during glassmelting, role of water vapor and S compounds. (7) 399

Solubility,
of La, in Sr titanate. (4) C75
of TiO_2, in $BaTiO_3$. (8) 448

Solutions, solid,
LiF-MgF_2, precipitation in. (8) 451
LiF-MgF_2, precipitated composites, fracture of. (11) 644
MgF_2-LiF, sintering of. (8) 460
PZT, formation of, reaction mechanisms. (7) 422
spinels, Fe_3O_4-$FeAl_2O_4$, thermodynamic properties. (11) 632

Spectra,
ir, of fused SiO_2. (12) C178

Spectroscopy,
Raman, of heat-treated B_2O_3-SiO_2 glasses. (8) 443
visible, of irradiated borate and phosphate glasses. (3) 158

Spinels,
Fe aluminate, thermal segregation of cations in. (10) 611
Fe_3O_4-$FeAl_2O_4$, solid solutions, thermodynamic properties. (11) 632
Fe-aluminate, cation distribution and defect chemistry. (2) 86
Mg aluminate, O diffusion in. (6) 368
magnetite and Fe-aluminate, electronic conduction and thermopower. (4) 237

Stability,
of Si_3N_4, and liquid phase, during sintering. (7) C96
crack, in work-of-fracture tests. (11) 671
of glass phase, in glass-ceramic systems. (5) 245

Stabilization,
of beta-Bi_2O_3, by Sb_2O_3 doping. (1) C19

Stoichiometry,
effect on PTCR, in porous $BaTiO_3$. (12) C170
non-, in undoped $BaTiO_3$. (9) 556

Strength,
of brittle materials, effect of crack interaction on. (8) C106
evaluation of bimodal concurrent flaw distributions. (12) C174
at high temps. under tension. (2) 68
strain-rate-dependent, in ceramic materials, mechanisms responsible for. (2) C33
dielectric relaxation, of low-alkali glass. (12) 713
distributions, of SiC after oxidation under load. (12) 731
electrical breakdown, of Al_2O_3 at high temps. (7) 404
fracture, of SiC, effect of loading rate on. (1) C18
of brittle building materials. (5) C86
of chalcogenide glasses of system Se-Ge-As. (11) C150
in commercial glass-ceramics. (2) 82
critical evaluation of indentation techniques for measuring. (9) 533; (9) 539
of fused SiO_2 and float glass at high temps. (7) 426
of sintered alpha-SiC, estimation by flaw fractography. (4) C69
of glass plate, with varying As content, effect of γ radiation. (10) C145
of glass-ceramics, effect of machining damage on. (9) C121
grain-size dependence of. (3) C56
high-temp., of AlN hot-pressed with Al_2O_3 additions. (3) 135
mechanical, of high-SiO_2 glasses, effect of surface energy on. (8) 456
of sapphire. (9) C116
of tubes, beta-Al_2O_3. (3) C47

Strengthening,
of ceramics, by circumferential microcracking. (7) 394
of glasses, by metallic particles. (9) 499
by metallic particles—correction. (10) 626

Stresses,
-induced microcracking, at second-phase inclusions. (3) 138
intensity factor estimates, for cracked void and surface pit, refinement of. (1) C3
in dynamic fatigue of abraded glass. (1) C6
in siliceous glass between mullite crystals. (3) C43
in singly and doubly ion-exchanging glass. (1) 34
thermal, in ZrO_2-toughened Al_2O_3. (1) 37

Strontium,
$SrTiO_3$, boundary-layer capacitor material, microstructure of. (12) 687

Structure,
coalesced, of Au films condensed on glass. (8) 463
defect, of PLZT doped with Mn, Fe, and Al. (5) 283
of cobaltous oxide, thermoelectric study. (10) C130
of glasses, Na borosilicate, molecular dynamic calculations. (3) 145
grain-boundary, electron diffraction and microscopy techniques for studying. (6) 335
of $SrTiO_3$ boundary-layer capacitor material. (12) 687
effect on PTCR in semiconducting $BaTiO_3$. (11) 639
studies on hot-pressed Si_3N_4. (2) C31

Substrates,
metallic, delayed failure of plasma-sprayed Al_2O_3 applied to. (12) 737

Sulfates,
Al, decomposition of, and resultant aluminas. (8) 436

Sulfur,
states of, in alkali borate glasses—correction. (6) 374

Surface,
liquidus, high-SiO_2, of system Na_2O-B_2O_3-SiO_2. (11) C148
phenomena, theoretical studies. (1) 54

Swelling,
of gels, synthetic alkali silica. (11) 652

Synthesis,
of BN, cubic, effects of AlN additions and atm. (12) 734
of beta-Si_3N_4, by CVD. (6) C88
of zircon, polycrystalline, solution-gelation method. (11) C149

Systems,
ZrO_2-Si_3N_4 and TiO_3-Si_3N_4, comparison of reaction mechanisms. (11) C151

Temperature,
Debye, of Fe_2O_3-CaO-SiO_2 glasses. (4) C63
cycling, disaccommodation of Mn-Zn ferrite after. (10) 624

Tension,
strength of ceramics under, at high temps. (2) 68

Tests,
fracture, biaxial, of glass-ceramics. (1) 1
indentation, for measuring fracture toughness, critical evaluation of. (9) 533; (9) 539
shock, thermal, on brittle materials. (5) 296
strength, evaluation of bimodal concurrent flaw distributions. (12) C174
work-of-fracture, crack stability in. (11) 671

Thallium,
Tl_2O_3, crystals, defect chemistry and electrical properties. (5) 269

Thermal properties,
stress resistance, of brittle plate subjected to asymmetric radiation. (3) 163; (3) 169

Thermodynamics,
of Fe_3O_4-$FeAl_2O_4$, spinel solid solutions. (11) 632
of oxynitrides, Si. (9) C124

Thermoelectricity,
power, for quenched wustite, measurement of. (4) 220
power measurements, in wustite, at high-temps. (8) 431

Thorium,
ThO_2, Hertzian indentation fracture surface energy, temp. dependence of. (6) 355

Titanates,
Sr, solubility of La in. (4) C75

Titanium,
TiB_2, TiC precipitates in, spectroscopic study. (4) 185
TiC, precipitate in TiB_2, spectroscopic study. (4) 185
TiO_2, solubility in $BaTiO_3$. (8) 448

Transducers,
hydrostatic, composite PZT and epoxy for. (1) 5

Transformations,
6*H*−3*C* reverse, in SiC compacts. (12) C177
Fe oxide, in fired clays, effect of Ca on, Moessbauer study. (5) 263
beta-alpha, in polycrystalline SiC. (2) 91; (2) 100

Transmittance,
of sapphire. (9) C116

Tubes,
beta-Al_2O_3, strength of. (3) C47

Uranium,
UO_2, Nb_2O_5-doped UO_2, effect of O_2 potential on. (5) 315
isostatic, hot-pressing of. (8) 472
UO_2, pure and Y_2O_3-doped, electrical conductivity of. (11) 627

Vanadium,
(IV), in Pb silicate glass, EPR of. (6) C93

Vaporization,
of Na, during glassmelting, role of water vapor and S compounds. (7) 399

Volume,
free, of phosphate glasses. (1) C14

Wastes,
nuclear, dissolution of intergranular amorphous phase in. (6) C89
high-Al_2O_3 tailored. (5) 249
phase relations in system UO_2+x-CeO_2-ZrO_2-ThO_2. (9) 511

Water,
concrete mix, fate of $CaCl_2$ dissolved in. (11) C162
content, in Na_2O-$3SiO_2$ glasses, effect on electrical conductivity. (12) 719
vapor, effect on internal friction of binary alkali silicate glasses. (12) C183

Wetting,
of glasses, Fe-Na disilicate, kinetics of. (9) 523

Wustite,
power measurements in, high-temp. thermoelectric. (8) 431
quenched, thermoelectric power, measurement of. (4) 220
thermoelectric power, time relaxation of. (2) C23

Yttrium,
$Y_2O_3$73, sintering of, solid second-phase. (1) 13
Y2OC, identification of. (5) C82
$Y_3Al_5O_{12}$, electrical conductivity of. (10) C138

Zinc,
ZnO, initial sintering of. (11) C154
substitutions, improvement of impact resistance of Na_2O-CaO-SiO_2 glasses through. (11) C157
ZnS, static indentations in, size relations for. (2) C27

Zircon,
polycrystalline, solution-gelation method of preparing. (11) C149

Zirconium,
ZrO_2, Y_2O_3-stabilized, agglomerate and particle size effects on sintering. (1) 19
films, modified doctor blade fabrication of. (2) C34
tetragonal, ceramics containing, transformation depths in. (4) C72
transformation-toughened, crack branching in. (9) 529
ZrO_2, partially stabilized, grain boundaries, fracture, and heat treatment of. (12) C175
probes, galvanic cell measurements with. (10) 621
ultrafine powder, hydrothermal preparation of. (12) C181

Historical Data on The American Ceramic Society

Year		President Installed	Vice President
1899	Columbus, Ohio	H. A. Wheeler (gen)	Ernest Mayer
1900	Detroit, Mich.	Karl Langenbeck (gen)	C. F. Binns
1901	Old Point Comfort	C. F. Binns (art)	Ernest Mayer
1902	Cleveland, Ohio	Ernest Mayer (W)	F. W. Walker, Sr.
1903	Boston, Mass.	E. C. Stover (W)	Heinrich Ries
1904	Cincinnati, Ohio	F. W. Walker, Sr. (W)	A. V. Bleininger
1905	Birmingham, Ala.	W. D. Gates (terra cotta)	Ellis Lovejoy
1906	Philadelphia, Pa.	W. D. Richardson (S)	Samuel Geijsbeek
1907	St. Louis, Mo.	S. G. Burt (art)	R. C. Purdy
1908	Columbus, Ohio	A. V. Bleininger (W)	Charles Weelans
1909	Rochester, N. Y.	R. C. Purdy (gen)	A. S. Watts
1910	Pittsburgh, Pa.	Heinrich Ries (gen)	R. R. Hice
1911	Trenton, N. J.	Charles Weelans (W)	L. E. Barringer
1912	Chicago, Ill.	A. S. Watts (gen)	C. W. Parmelee
1913	Washington, D. C.	Ellis Lovejoy (S)	A. F. Hottinger
1914	Wheeling, W. Va.	C. W. Parmelee (gen)	D. T. Farnham
1915	Detroit, Mich.	R. R. Hice (S)	R. T. Stull
1916	Cleveland, Ohio	L. E. Barringer (W)	F. K. Pence
1917	New York, N. Y.	G. H. Brown (gen)	C. E. Jackson
1918	Indianapolis, Ind.	H. F. Staley (C)	A. F. Greaves-Walker
1919	Pittsburgh, Pa.	R. T. Stull (S)	R. H. Minton
1920	Philadelphia, Pa.	R. H. Minton (W)	E. T. Montgomery
1921	Columbus, Ohio	F. K. Pence (W)	F. B. Ortman
1922	St. Louis, Mo.	F. H. Riddle (W)	E. Ward Tillotson
1923	Pittsburgh, Pa.	A. F. Greaves-Walker (R)	R. D. Landrum
1924	Atlantic City, N. J.	R. D. Landrum (C)	R. M. Howe and August Staudt
1925	Columbus, Ohio	E. Ward Tillotson (G)	F. H. Rhead
1926	Atlanta, Ga.	R. L. Clare (terra cotta)	B. Mifflin Hood
1927	Detroit, Mich.	B. Mifflin Hood (S)	M. C. Booze
1928	Atlantic City, N. J.	M. C. Booze (R)	R. R. Danielson
1929	Chicago, Ill.	G. A. Bole (gen)	F. A. Harvey
1930	Toronto, Canada	Edward Orton, Jr. (gen)	P. E. Cox
1931	Cleveland, Ohio	E. V. Eskesen (terra cotta)	Alexander Silverman
1932	Washington, D. C.	E. P. Poste (C)	W. Keith McAfee
1933	Pittsburgh, Pa.	J. C. Hostetter (G)	L. J. Trostel, Sr.
1934	Cincinnati, Ohio	W. Keith McAfee (W)	J. M. McKinley
1935	Buffalo, N. Y.	J. M. McKinley (R)	F. C. Flint
1936	Columbus, Ohio	F. C. Flint (G)	R. B. Sosman
1937	New York, N. Y.	R. B. Sosman (R)	V. V. Kelsey
1938	New Orleans, La.	V. V. Kelsey (M)	A. I. Andrews
1939	Chicago, Ill.	A. I. Andrews (C)	J. L. Carruthers
1940	Toronto, Canada	J. L. Carruthers (terra cotta)	J. T. Littleton
1941	Baltimore, Md.	J. T. Littleton (G)	P. D. Helser
1942	Cincinnati, Ohio	L. J. Trostel, Sr. (R)	M. E. Holmes
1943	Pittsburgh, Pa.	C. E. Bales (R)	E. H. Fritz
1944	Pittsburgh, Pa.	E. H. Fritz (W)	C. Forrest Tefft
1945	Buffalo, N. Y.	C. Forrest Tefft (S)	J. E. Hansen
1946	Buffalo, N. Y.	J. E. Hansen (C)	J. D. Sullivan
1947	Atlantic City, N. J.	J. D. Sullivan (R)	J. W. Whittemore
1948	Chicago, Ill.	J. W. Whittemore (gen)	H. M. Kraner
1949	Cincinnati, Ohio	H. M. Kraner (R)	Howells Frechette, A. L. Bennett, Robert Twells
1950	New York, N. Y.	J. W. Hepplewhite (W)	Aaron K. Lyle, Hewitt Wilson, T. A. Klinefelter
1951	Chicago, Ill.	Howard R. Lillie (G)	Probert W. Dager, Ray W. Pafford, Arthur A. Wells
1952	Pittsburgh, Pa.	W. Edward Cramer (W)	Victor C. Swicker, Harry H. Holscher, H. B. DuBois
1953	New York, N. Y.	R. R. Danielson (C)	J. E. Eagle, Joseph A. Pask, S. M. Swain
1954	Chicago, Ill.	Ray W. Pafford (S)	William O. Brandt, John F. McMahon, Rolland R. Roup
1955	Cincinnati, Ohio	Robert Twells (W)	R. S. Bradley, John H. Isenhour, Kenneth C. Lyon
1956	New York, N. Y.	Karl Schwartzwalder (W)	Oscar G. Burch, Louis Navias, C. W. Planje
1957	Dallas, Texas	John F. McMahon (gen)	Wayne A. Deringer, Clarence H. Hahner, J. S. Nordyke
1958	Pittsburgh, Pa.	R. S. Bradley (R)	W. W. Coates, Harry E. Davis, Herbert Insley
1959	Chicago, Ill.	Oscar G. Burch (G)	J. J. Canfield, John H. Koenig, James I. Mueller
1960	Philadelphia, Pa.	George H. Spencer-Strong (C)	Eugene C. Clemens, Frederick H. Norton, Andrew Pereny
1961	Toronto, Canada	John S. Nordyke (M)	V. J. Duplin, Leonard G. Ghering, Elroy E. Howe
1962	New York, N. Y.	John H. Koenig (E)	W. W. Gaskins, Frank Jansma, E. F. Osborn
1963	Pittsburgh, Pa.	Paul V. Johnson (S)	H. P. Bonebrake, Clair R. Oberst, James S. Owens
1964	Chicago, Ill.	Elburt F. Osborn (B)	R. R. Rhodes, G. J. Middleton, W. J. Smothers
1965	Philadelphia, Pa.	Howard P. Bonebrake (M)	R. E. Birch, L. S. O'Bannon, A. E. R. Westman
1966	Washington, D. C.	George J. Bair (G)	Arthur J. Blume, Edward C. Henry, Harry W. Thiemecke
1967	New York, N. Y.	James S. Owens (W)	Howard F. McMurdie, Alfred W. Allen, J. Earl Frazier
1968	Chicago, Ill.	Loran S. O'Bannon (C)	Clarence L. Babcock, Lane Mitchell, Theodore J. M. Planje
1969	Washington, D. C.	Arthur J. Blume (S)	William W. Coffeen, Scroop W. Enloe, Jr., J. O. Everhart
1970	Philadelphia, Pa.	J. Earl Frazier (G)	Eugene E. Bryant, Richard M. Fulrath, Ralph L. Gibson
1971	Chicago, Ill.	William J. Smothers (R)	James R. Johnson, Robert S. Sinclair, Stephen D. Stoddard
1972	Washington, D. C.	T. J. Planje (R)	Joseph E. Burke, Robert S. Du Fresne, William R. Prindle
1973	Cincinnati, Ohio	James R. Johnson (B)	Lyle A. Holmes, Walter W. Perkins, Merton L. Van Dreser
1974	Chicago, Ill.	Joseph E. Burke (B)	William J. Knapp, Malcolm G. McLaren, Haydn H. Murray, Basil G. Staples, Franklin M. Townsend
1975	Washington, D. C.	Ralston Russell, Jr. (W)	Sherwood E. Patek, John A. Stewart, O. J. Whittemore, Jr.
1976	Cincinnati, Ohio	Stephen D. Stoddard (N)	Gordon L. Barna, Seymour L. Blum, Winston Duckworth
1977	Chicago, Ill.	Lyle A. Holmes (M)	William C. Mohr, Guy E. Rindone, Ronald R. Roup
1978	Detroit, Mich.	John B. Wachtman, Jr. (B)	A. Josephine Gitter, Milan Vukovich, James C. Waldal
1979	Cincinnati, Ohio	Malcolm G. McLaren (W)	J. Lambert Bates, Robert H. Insley, William R. Jacoby
1980	Chicago, Ill.	William R. Prindle (G)	Stephen C. Carniglia, Gilbert Goodman, Charles R. Kurkjian
1981	Washington, D.C.	James I. Mueller (C)	Geoffrey J. C. Frohnsdorff, William Payne, Edwin Ruh, and Murray A. Schwartz

JOURNAL of the American Ceramic Society

A BIMONTHLY PUBLICATION DEVOTED TO THE ARTS AND SCIENCES RELATED TO CERAMICS

VOLUME 64, 1981

Arthur L. Friedberg, *Executive Director, Publisher*

Donald C. Snyder, *Director of Publications*

William J. Smothers, *Editor*

Esther Lense, *Managing Editor*

Nancy L. Reed, *Technical Editor*

Sallie Zartman West, *Assistant Editor*

Committee on Publications: J. Lambert Bates, *Chairman;* H. Kent Bowen, Delbert E. Day, William C. Mohr, Richard M. Spriggs; *ex officio:* Richard E. Tressler, William J. Smothers, Arthur L. Friedberg

Executive and Editorial Offices:
65 Ceramic Drive, Columbus, Ohio 43214

COMMUNICATIONS

Officers of the American Ceramic Society, 1981-82

President: James I. Mueller, University of Washington, Ceramic Engineering Div. FB-10, Seattle, Wash. 98195
President-Elect: Robert J. Beals, 438 Smithfield St., East Liverpool, Ohio 43920 (Hall China Co.)
Vice-Presidents:
Geoffrey J. C. Frohnsdorff, National Bureau of Standards, Center for Bldg. Technology, Bldg. 226, Rm. B348, Washington, D.C. 20234
William H. Payne, Solid State Dielectrics, Inc., 11078 Fleetwood St., Sun Valley, Calif. 91352
Edwin Ruh, 892 Old Hickory Rd., Pittsburgh, Pa. 15243 (Carnegie-Mellon University)
Murray A. Schwartz, Bureau of Mines, Mineral Resources Technology, 2401 E St., N.W., Washington, D.C. 20241
Treasurer: Richard M. Spriggs, National Materials Advisory Board, 2101 Constitution Ave., N.W., Washington, D.C. 20418

DIVISION AND CLASS OFFICERS

Basic Science Division

Trustee: Robert L. Coble (1984), Massachusetts Institute of Technology, Rm. 13-4062, 77 Massachusetts Ave., Cambridge, Mass. 02139
Chairman: William H. Rhodes, GTE Labs Inc., 40 Sylvan Rd., Waltham, Mass. 02154
Chairman-Elect: Dennis W. Readey, Ohio State University, Dept. of Ceramic Engineering, 2041 N. College Rd., Columbus, Ohio 43210
Vice Chairman: Dale E. Niesz, Battelle, Columbus Labs, 505 King Ave., Columbus, Ohio 43210
Secretary: H. Kent Bowen, Massachusetts Institute of Technology, Rm 12-011, Cambridge, Mass. 02139

Cements Division

Trustee: Gerard G. Litvan (1984), National Research Council of Canada, Bldg. Materials Section, Div. of Bldg. Research, Ottawa, Ont., Canada K1A OR6
Chairman: V. S. Ramachandran, National Research Council of Canada, Bldg. Materials Section, Div. of Bldg. Research, Ottawa, Ont., Canada K1A OR6
Chairman-Elect: D. L. Kantro, Master Builders, 23700 Chagrin Blvd., Cleveland, Ohio 44122
Secretary: Danica H. Turk, United States Gypsum Co., 1000 E. Northwest Highway, Des Plaines, Ill. 60016

Ceramic-Metal Systems Division

Trustee: John C. Wurst (1982), 4308 Appleton Place, Kettering, Ohio 45440 (University of Dayton)
Chairman: James W. McCauley, U.S. Army Materials & Mechanics Research Center, Watertown, Mass. 02172
Chairman-Elect: Charles M. Packer, Lockheed Palo Alto Research Lab, Org. 5231M, 3251 Hanover, Bldg. 204, Palo Alto, Calif. 94304
Vice Chairman: Joseph J. Gebhardt, General Electric Co., Rm. L9163, Box 8555, Philadelphia, Pa. 19101
Secretary: Seong K. Rhee, Bendix Research Labs, 20800 Civic Center Dr., Southfield, Mich. 48076
Counselor: Seymour A. Bortz, 365 Greenbay Rd., Highland Park, Ill. 60035 (IIT Research Institute)
Counselor: Larry N. Biller, Pemco Products Group, Mobay Chemical Corp., 5601 Eastern Ave., Baltimore, Md. 21224

Design Division

Trustee: Viktor Schreckengost (1983), Cleveland Institute of Art, 11141 East Blvd., Cleveland, Ohio 44106
Chairman: Michael Leson, Shenango China/Anchor Hocking Corp., Box 120, New Castle, Pa. 16103
Chairman-Elect: Charles S. Tramontana, Gorham, Div. of Textron, 333 Adelaide Ave., Providence, R.I. 02907
Vice Chairman: Wallace C. Higgins, Alfred University, Alfred, N.Y. 14802
Secretary: Dennis M. Newbury, Homer Laughlin China Co., Box 1258, Newell, W.Va. 26050
Counselor: Francis J. von Tury, 11 Colonial Ct., Metuchen, N.J. 08840 (Architectural Ceramics)

Electronics Division

Trustee: Bernard Schwartz (1984), IBM Corp., Dept. 72K, Bldg. 332-88G, E. Fishkill, R.R. 52, Hopewell Junction, N.Y. 12533
Chairman: David C. Hill, Charles Stark Draper Labs, 555 Technology Sq., Cambridge, Mass. 02139
Chairman-Elect: Robert W. Vest, Purdue University, Potter Engineering Center, West Lafayette, Ind. 47907
Vice Chairman: Lionel M. Levinson, General Electric Co., Corporate R&D, Box 8, Schenectady, N.Y. 12301
Secretary: David W. Johnson, Jr., Bell Labs, 600 Mountain Ave. Rm. 6D-305, Murray Hill, N.J. 07974

Glass Division

Trustee: Alfred R. Cooper (1983), Case Western Reserve University, Dept. of Metallurgy & Materials Science, 10900 Euclid Ave., Cleveland, Ohio 44106
Chairman: Robert H. Doremus, Rensselaer Polytechnic Institute, Troy, N.Y. 12181
Chairman-Elect: Delbert E. Day, University of Missouri-Rolla, School of Mines & Metallurgy, Materials Research Center, Rolla, Mo. 65401
Vice Chairman: Robert J. Eagan, Sandia Labs, Org. 5845, Box 5800, Albuquerque, N.M. 87185
Secretary: Cornelius T. Moynihan, Rensselaer Polytechnic Institute, Department of Materials Engineering, Troy, NY 12181

Materials & Equipment Division

Trustee: Robert W. Sparks (1983), Pennsylvania Glass Sand Corp., Box 187, Berkeley Springs, W.Va. 25411
Chairman: Joseph V. Stout, M&T Chemicals Inc., Rosemary & Weigand Sts., Box 247, Andrews, S.C. 29510
Chairman-Elect: David L. LaBahn, Drakenfeld Colors, Box 519, Washington, Pa. 15301
Vice Chairman: Wendell P. Keith, Jr., Keith Co., Inc., 8323 Loch Lomond Dr., Pico Rivera, Calif. 90660
Secretary: Roger A. Wahl, A. J. Wahl, Inc., 8961 Central Ave., Brocton, N.Y. 14716

Nuclear Division

Trustee: E. Thomas Weber III (1982), 6622 W. Victoria, Kennewick, Wash. 99336 (Westinghouse Hanford Co.)
Chairman: J. Larry Harrison, 1205 Cedar Hill Dr., Lynchburg, Va. 24502 (Babcock & Wilcox Co.)
Vice Chairman: Terrence B. Lindemer, Oak Ridge National Lab, Bldg. 4501, Box X, Oak Ridge, Tenn. 37830
Secretary: Charles S. Yust, Oak Ridge National Lab, Box X, Oak Ridge, Tenn. 37830

Refractories Division

Trustee: LeRoy D. Hart (1982), Aluminum Co. of America, Box 300, Bauxite, Ark. 72011
Chairman: Richard C. Bradt, Pennsylvania State University, 101 Steidle Bldg., University Park, Pa. 16802
Vice Chairman: James R. Friedrichs, 1830 Flintlock Circle, Lansdale, Pa. 19446 (C-E Refractories, Div. of Combustion Engineering, Inc.)
Secretary: Wate T. Bakker, Electric Power Research Institute, Fossil Fuel & Advanced Systems, Box 10412, Palo Alto, Calif. 94303

Structural Clay Products Division

Trustee: Roger C. Stoen (1984) Can-Tex Industries, Div. of Harsco Corp., 4th & Washington Sts., Cannelton, Ind. 47520
Chairman: Garrison F. Finzer, Sugarcreek, Ohio 44681 (Belden Brick Co.)
Chairman-Elect: Robert J. McNamara, 6535 Garland St., Arvada, Colo, 80004 (Consultant)
Vice Chairman: Warren R. Walle, Box 734, Mount Gilead, N.C. 27306 (Mid-State Tile Co.)
Secretary: Lynn A. Morrison, Hilltop Dr., Magnolia, Ohio 44643 (Whitacre-Greer Fireproofing Co.)

Whitewares Division

Trustee: Frank P. Fonvielle, Jr. (1983), Dentsply International Inc., 500 W. College Ave., York, Pa. 17404
Chairman: Clarence E. Vance, 1988 Surrey Trail, Conyers, Ga. 30208 (International Minerals & Chemical Corp.)
Chairman-Elect: Neil H. O'Brien, 28 Bayne St., Norwalk, Conn. 06851 (R. T. Vanderbilt Co., Inc.)
Vice Chairman: Randy O. Knapp, Champion Spark Plug Co., Ceramic Div., 20000 Conner Ave., Detroit, Mich. 48234
Secretary: John A. Cihon, United States Ceramic Tile Co., Box 8049, Canton, Ohio 44170

Ceramic Educational Council

Trustee: W. Richard Ott (1983), Alfred University, Alfred, N.Y. 14802
President: David R. Rossington, Alfred University, Alfred, N.Y. 14802
President-Elect: Ralph V. Wilhelm, Jr., G-6301 McKenzie Circle, Flint, Mich. 48507 (AC Spark Plug Div., General Motors Corp.)
Vice President: Richard E. Tressler, Pennsylvania State University, 201 Steidle Bldg., University Park, Pa. 16802
Secretary-Treasurer: William B. Shook, Ohio State University, Dept. of Ceramic Engineering, 2041 College Rd., Columbus, Ohio 43210
Archivist: Arthur L. Friedberg, American Ceramic Society, 65 Ceramic Drive, Columbus, Ohio 43214

National Institute of Ceramic Engineers

Trustee: Joseph L. Pentecost (1983), 3605 Clubwood Trail, Marietta, Ga. 30062 (Georgia Institute of Technology)
President: Herbert W. Larisch, 2979 S. Olympia, Evergreen, Colo. 80439 (Coors Porcelain Co.)
President-Elect: Dale E. Niesz, Battelle, Columbus Labs, 505 King Ave., Columbus, Ohio 43201
Vice President: Willard E. Hauth III, Battelle, Columbus Labs, 505 King Ave., Columbus, Ohio 43201
Secretary-Treasurer: Norman H. Harris, Certek, Inc., Box 520, Saugus, Calif. 91350
Permanent Secretary: Winston Duckworth, Battelle, Columbus Labs, 505 King Ave., Columbus, Ohio 43201

TABLE OF CONTENTS

VOLUME 64, 1981

January [1]

***Journal*, pp. 1–60**

1. Biaxial Fracture Studies of a Glass-Ceramic ☆ D. K. Shetty, A. R. Rosenfield, G. K. Bansal, and W. H. Duckworth 1
2. Composites of PZT and Epoxy for Hydrostatic Transducer Applications ☆ K. A. Klicker, J. V. Biggers, and R. E. Newnham 5
3. Thermal Etching and Grain-Boundary Grooving of Silicon Ceramics ☆ Wayne M. Robertson 9
4. Controlled Transient Solid Second-Phase Sintering of Yttria ☆ W. H. Rhodes 13
5. Agglomerate and Particle Size Effects on Sintering Yttria-Stabilized Zirconia ☆ W. H. Rhodes 19
6. Structure of High-Angle Grain Boundaries in Metals and Ceramic Oxides ☆ R. W. Balluffi, P. D. Bristowe, and C. P. Sun 23
7. Residual Stress in Singly and Doubly Ion-Exchanged Glass ☆ E. E. Shaisha and A. R. Cooper 34
8. Transient Thermal Stress Behavior in ZrO_2-Toughened Al_2O_3 ☆ Paul F. Becher 37
9. Weak-Electrolyte Models for the Mixed-Alkali Effect in Glass ☆ C. T. Moynihan and A. V. Lesikar 40
10. Energy Variations in Diffusive Cavity Growth ☆ James R. Rice and Tze-Jer Chuang 46
11. Ceramic Surfaces: Theoretical Studies ☆ A. M. Stoneham 54

Correction—Preparation of Nitrogen-Containing Na_2O-CaO-SiO_2 Glasses ☆ G. H. Frischat and C. Schrimpf 60

***Communications*, pp. C-1–C-20**

Electrochemical Corrosion of Iron Magnesium Aluminate Spinel and Lanthanum Chromite in Molten Potassium Sulfate ☆ Gregory A. Kaiser and John W. Halloran C-2
Refinement of Stress Intensity Factor Estimates for a Peripherally Cracked Spherical Void and a Hemispherical Surface Pit ☆ Francis I. Baratta C-3
The Systems ZnO-Fe_2O_3-SnO_2 and MgO-Fe_2O_3-SnO_2 at 1060°C ☆ R. Michael Tyson and Luke L. Y. Chang C-4
Residual Stresses in Dynamic Fatigue of Abraded Glass ☆ D. B. Marshall and B. R. Lawn C-6
Preparation of Ultrafine MgO by the Spray-ICP Technique ☆ Masahiro Kagawa, Masae Kikuchi, Reiichi Ohno, and Tsuneki Nagae C-7
Continuous Poling Technique for PZT Fibers ☆ T. R. Gururaja, L. E. Cross, and R. E. Newnham C-8
Darkening Kinetics of Photochromic Glass at High Excitation Levels ☆ Herbert D. Kivlighn, Jr. and Richard Delasi C-9
Model for Evaporation of a Grain-Boundary Phase ☆ Manfred Wuttig and Harlan U. Anderson C-11
Preparation of Ultrafine SiC Particles by Gas Evaporation ☆ Yoshinori Ando and Ryozi Uyeda C-12
Joining of Self-Bonded Silicon Carbide by Germanium Metal ☆ T. Iseki, K. Yamashita, and H. Suzuki C-13
Free Volume of Phosphate Glasses ☆ Yoshihiro Abe and Suguru Suzuki C-14
Sintering of Si_3N_4-Y_2O_3 Under Nitrogen Pressure ☆ F. S. Galasso and R. D. Veltri C-15
Effect of Water Bath Temperature on the Thermal Shock of Al_2O_3 ☆ Paul F. Becher C-17
Effect of Loading Rate on Fracture Toughness of SiC at High Temperatures ☆ G. Popp and R. F. Pabst C-18
Stabilization of β-Bi_2O_3 by Sb_2O_3 Doping ☆ Masaru Miyayama, Hiroya Terada, and Hiroaki Yanagida C-19
Effect of Fluorine on the Phase Separation of Na_2O-SiO_2 Glasses ☆ Joanne H. Markis, Kevin Clemens, and Minoru Tomozawa C-20

February [2]

***Journal*, pp. 61–124**

12. Thermally Stimulated Currents in Sodium Silicate Glasses ☆ Chi-Ming Hong and Delbert E. Day 61
13. Strength of a Ceramic at High Temperatures under Biaxial and Uniaxial Tension ☆ M. N. Giovan and George Sines 68
14. Vapor-Phase Hydration of Submicrometer CaO Particles ☆ Dario Beruto, Luigi Barco, Gabriele Belleri, and Alan W. Searcy 74
15. Preparation and Identification of $Ca_2Zn_4Ti_{15}O_{36}$—A New Structure Type ☆ Stanley F. Bartram and Warren M. Foss 80
16. Fracture Strength and Mirror Size in a Commercial Glass-Ceramic ☆ David Lewis III 82
17. Cation Distribution and Defect Chemistry of Iron-Aluminate Spinels ☆ T. O. Mason and H. K. Bowen 86
18. The $\beta \rightarrow \alpha$ Transformation in Polycrystalline SiC: III, The Thickening of α Plates ☆ L. U. Ogbuji, T. E. Mitchell, and A. H. Heuer 91
19. The $\beta \rightarrow \alpha$ Transformation in Polycrystalline SiC: IV, A Comparison of Conventionally Sintered, Hot-Pressed, Reaction-Sintered, and Chemically Vapor-Deposited Samples ☆ L. U. Ogbuji, T. E. Mitchell, A. H. Heuer, and S. Shinozaki 100
20. Effect of γ Radiation on Plastic Flow of NaCl ☆ I. Lerner and D. L. Kohlstedt 105
21. Optimum Schedule for Annealing Flat Glass ☆ O. S. Narayanaswamy 109
22. Nonlinear Annealing of Glass ☆ Robert Gardon 114
23. Dehydration Behavior of Aluminum Sulfate Hydrates ☆ A. B. Gancy, J. M. Rao, and W. M. Wenner 119

Correction—Mechanical Properties of Fine-Grained Magnesium Oxide at Large Compressive Strains ☆ J. Crampon and B. Escaig 124

Correction—Heats and Free Energies of Formation of Two Sialons by Mass Spectrometry ☆ Kenneth A. Moon, Arthur Kant, and William J. Croft 124

Correction—Dynamic Effects of Liquids on Crack Growth Leading to Catastrophic Failure in Glass ☆ Terry A. Michalske and V. D. Fréchette 124

***Communications*, pp. C-21–C-40**

Room-Temperature K_{Ic} Values for Single-Crystal and Polycrystalline $MgAl_2O_4$ ☆ R. L. Stewart, M. Iwasa, and R. C. Bradt C-22

Time Relaxation of the Thermoelectric Power of Wustite ☆ J. D. Hodge and H. K. Bowen C-23

Grain-Size Determinations ☆ E. D. Case, J. R. Smyth, and V. Monthei C-24

Thermal Decomposition of the Oxynitride of Germanium and the Heat Capacity of the Oxynitrides of Silicon and Germanium ☆ Thomas C. Ehlert C-25

Producing a Semielliptical Flaw in a Glass Surface ☆ R. L. Hudson and V. D. Fréchette C-26

Load/Radial Crack Size Relations for Static Indentations in Zinc Sulfide ☆ H. P. Kirchner and T. J. Larchuk C-27

Vapor Pressures of Simple Silicate Glass Melts ☆ N. Kassis and G. H. Frischat C-28

Self-Diffusion Coefficient of Oxygen in Single-Crystal Forsterite ☆ Ken Ando, H. Kurokawa, Y. Oishi, and H. Takei C-30

Microstructural Observations on Hot-Pressed Si_3N_4 ☆ C. Greskovich C-31

Glass Surface Cracks Caused by Alkaline Solution Containing an Alkaline-Earth Element ☆ M. Tomozawa, Y. Oka, and J. M. Wahl C-32

Mechanisms Responsible for Strain-Rate-Dependent Compressive Strength in Ceramic Materials ☆ J. Lankford C-33

Fabrication of Translucent ZrO_2 Film by a Modified Doctor Blade Method ☆ Hiroaki Yanagida, Masasuke Takata, and Masayuki Nagai C-34

Orientation Effects on the Thermal Diffusivity of Hot-Pressed Silicon Nitride ☆ G. Ziegler, L. D. Bentsen, and D. P. H. Hasselman C-35

Fabrication of High-Density ThO_2-UO_2 Fuel Pellets ☆ R. B. Matthews and N. C. Davis C-37

Subsolidus Phase Relations Between 900° and 1700°C in the Systems BeO-MgO-CeO_2, SrO-MgO-CeO_2, BaO-MgO-CeO_2, and BaO-CaO-CeO_2 ☆ V. Longo, S. Meriani, and F. Ricciardiello C-38

Comment on "Analytical Electron Microscopy of Cement Pastes: I, Tricalcium Silicate Pastes" ☆ S. Chatterji C-39

Reply ☆ E. E. Lachowski and K. Mohan C-40

March [3]

***Journal*, pp. 125–184**

24. Effect of Air Exposure on the Resistivity of Sodium Beta and Beta″ Aluminas ☆ Bruce Dunn 125
25. Quantitative Phase Analysis of the Hydrothermally Treated System γ-Ca_2SiO_4-CaO ☆ Aleksandar Bezjak and Vesna Runje 129
26. High-Temperature Strength of AlN Hot-Pressed with Al_2O_3 Additions ☆ Tosikazu Sakai 135
27. Stress-Induced Microcracking at Second-Phase Inclusions ☆ D. J. Green 138
28. A Mixed-Mode Crack-Growth and Fracture Model for Field-Assisted Ion-Exchanged Glass ☆ Mahmoud Abou-el-leil and A. R. Cooper 141
29. Molecular Dynamic Calculations of a Sodium Borosilicate Glass Structure ☆ Thomas F. Soules and Arun K. Varshneya 145
30. Dehydroxylation of Porous Glass by Means of Chlorine ☆ Thomas H. Elmer 150
31. Effect of Gamma Radiation on Glass Leaching ☆ G. L. McVay and L. R. Pederson 154
32. Visible Spectroscopy of Irradiated High-Alkali Borate and Mixed-Alkali Phosphate Glasses ☆ A. Barkatt, C. A. Angell, and J. R. Miller 158
33. Analysis of Thermal Stress Resistance of Partially Absorbing Ceramic Plate Subjected to Asymmetric Radiation, I: Convective Cooling at Rear Surface ☆ J. R. Thomas, Jr., J. P. Singh, and D. P. H. Hasselman 163
34. Analysis of Thermal Stress Resistance of Partially Absorbing Ceramic Plate Subjected to Asymmetric Radiation, II: Convective Cooling at Front Surface ☆ J. P. Singh, K. Satyamurthy, J. R. Thomas, Jr., and D. P. H. Hasselman 169
35. High-Temperature Conductivity and Creep of Polycrystalline Al_2O_3 Doped with Fe and/or Ti ☆ M. M. El-Aiat, L. D. Hou, S. K. Tiku, H. A. Wang, and F. A. Kröger 174
36. Temperature/Composition Phase Diagram of the System Bi_2O_3-PbO ☆ R. M. Biefeld and S. S. White 182

***Communications*, pp. C-41–C-60**

Luminescence of Fe^{3+} in Metaphosphate Glasses: Evidence for Four- and Six-Coordinated Sites ☆ K. E. Fox, T. Furukawa, and W. B. White C-42

Residual Stress in Siliceous Glass Between Mullite Crystals ☆ Kazuo Yamana, Masayasu Tokonami, Kohji Nobugai, Nobuo Morimoto, Mitsue Koizumi, and Isamu Shindo C-43

Internal Phase Changes in Dense Si_3N_4 Associated with High-Temperature Oxidation ☆ W. J. McDonough, C. Cm. Wu, and P. E. D. Morgan C-45

Strength of Beta-Alumina Tubes ☆ G. G. Trantina C-47

Stress Analysis of the Seal in a Sodium-Sulfur Battery Cell ☆ G. G. Trantina C-48

Surface and Bulk – OH Infrared Absorption in ZrF_4- and HfF_4-Based Glasses ☆ E. O. Gbogi, K.-H. Chung, C. T. Moynihan, and M. G. Drexhage C-51
Concurrent Flaw Populations in SiC ☆ T. E. Easler, R. C. Bradt, and R. E. Tressler C-53
Anomalous Grain Growth in PLZT Ceramics ☆ Shigeru Jyomura, Iwao Matsuyama, and Gyozo Toda C-55
Grain-Size Dependence of Strength ☆ A. V. Virkar, D. K. Shetty, and A. G. Evans C-56
Solubility and Diffusion of Si in B_4C ☆ T. Hase and Hiroshige Suzuki C-58
Correlation of Experimental Erosion Data with Elastic-Plastic Impact Models ☆ Mary Ellen Gulden C-59

April [4]

***Journal*, pp. 185–244**

37. Study of Titanium Carbide Precipitates in Titanium Diboride by Electron Energy Loss Spectroscopy ☆ Peggy Mochel, Craig Allison, and Wendell S. Williams 185
38. Chemical Durability of Sodium Silicate Glasses Containing Al_2O_3 and ZrO_2 ☆ C. R. Das 188
39. Kinetics of Dissolution and Crystallization in a β-Spodumene Glass-Ceramic ☆ K. H. Dalal and R. Raj 194
40. Ion-Exchange Method for Fabricating High-Silica Glasses ☆ Catherine J. Simmons 200
41. Thermochromism in Reduced Phosphate Glasses ☆ Yoshihiro Abe, Koichi Kawashima, and Suguru Suzuki 206
42. Dielectric and Electrostrictive Properties of Ferroelectric Relaxors in the System $Pb(Mg_{1/3}Nb_{2/3})O_3$:$PbTiO_3$:$Ba(Zn_{1/3}Nb_{2/3})O_3$ ☆ S. J. Jang, L. E. Cross, K. Uchino, and S. Nomura 209
43. Corrosion of AZS and Fireclay Refractories in Contact with Lead Glass ☆ J. P. Hilger, D. Babel, N. Prioul, and A. Fissolo 213
44. Measurement of Low-Temperature Thermoelectric Power for Quenched Wustite ☆ J. D. Hodge and H. K. Bowen 220
45. Catalytic Activity of Nickel at the Glass/Metal Interface in the Porcelain Enameling System ☆ M. A. Salamah and D. White 224
46. Sodium Motion in Phase-Separated Sodium Silicate Glasses ☆ H. D. Jannek and D. E. Day 227
47. Defect Equilibria in Transition Metal Oxides ☆ C. R. A. Catlow and A. M. Stoneham 234
48. Electronic Conduction and Thermopower of Magnetite and Iron-Aluminate Spinels ☆ T. O. Mason and H. K. Bowen 237
49. Superionic Conducting Glasses: Glass Formation and Conductivity in the System Ag_2S-$AgPO_3$ ☆ G. Baud and J.-P. Besse 242

***Communications*, pp. C-61–C-80**

Reactions During Milling of Aluminum Oxide ☆ F. W. Dynys and J. W. Halloran C-62
Debye Temperature and Electrical Conduction of Fe_2O_3-CaO-SiO_2 ☆ H. Nasu, K. Hirao, and N. Soga C-63
Revised ThO_2-Nb_2O_5 Phase Diagram ☆ R. J. Cava, R. S. Roth, and D. B. Minor C-64
Penetration Surface Damage Resulting from Abrasion and Heating of MgO Crystals ☆ E. Sonder, J. V. Spadaro, and R. A. Weeks C-65
Densification of Cr_2O_3-ZrO_2 Ceramics by Sintering ☆ Akira Yamaguchi C-67
Grain-Oriented $PbNb_2O_6$ Ceramics ☆ M. Granahan, M. Holmes, W. A. Schulze, and R. E. Newnham C-68
Estimation of Fracture Toughness by Intrinsic Flaw Fractography for Sintered Alpha Silicon Carbide ☆ S. G. Seshadri and M. Srinivasan C-69
X-Ray Determination of Transformation Depths in Ceramics Containing Tetragonal ZrO_2 ☆ Thomaź Kosmać, Rudolf Wagner, and Nils Claussen C-72
Platinum Condensation on MgO Grain Boundaries ☆ D. R. McKenzie and R. W. Taylor C-73
Coating of Small Alumina Crucibles with Magnesia using a Two-Step Drain Casting Technique ☆ N. A. Haroun and M. A. A. El-Masry C-74
Solubility of Lanthanum in Strontium Titanate ☆ U. Balachandran and N. G. Eror C-75
A New Si_3N_4 Material: Phase Relations in the System Si-Sc-O-N and Preliminary Property Studies ☆ P. E. D. Morgan, F. F. Lange, D. R. Clarke, and B. I. Davis C-77
Comment on "Mechanical Properties of Sintered, In-Situ-Reacted Mullite-Zirconia Composites" ☆ J. S. Moya C-78
Reply ☆ Nils Claussen and J. S. Wallace C-79
Comment on "Analytical Electron Microscopy of Cement Pastes: II" ☆ D. A. Jameson C-80
Reply ☆ E. E. Lachowski, K. Mohan, and H. F. W. Taylor C-80

May [5]

***Journal*, pp. 245–318**

50. Morphology and Stability of the Glass Phase in Glass-Ceramic Systems ☆ Rishi Raj 245
51. High-Alumina Tailored Nuclear Waste Ceramics ☆ P. E. D. Morgan, D. R. Clarke, C. M. Jantzen, and A. B. Harker 249
52. Influence of Temperature and Humidity on Dynamic Fatigue of Optical Fibers ☆ Shigeki Sakaguchi and Takao Kimura 259
53. Moessbauer Study of the Effect of Calcium Content on Iron Oxide Transformations in Fired Clays ☆ Y. Maniatis, A. Simopoulos, and A. Kostikas 263
54. Defect Chemistry and Electrical Properties of Thallium Oxide Single Crystals ☆ G. P. Wirtz, C. J. Yu, and R. W. Doser 269
55. Dielectric Loss of Microstructurally Anisotropic Borosilicate Glass ☆ Masasuke Takata, Minoru Tomozawa, and Takeshi Takamori 275
56. Ion Exchange of Soda-Lime Glass with Univalent Cations ☆ E. E. Shaisha and A. R. Cooper 278
57. Defect Structure of PLZT Doped with Mn, Fe, and Al ☆ K. H. Härdtl 283
58. Prediction of Immiscibility Boundaries of the Systems K_2O-SiO_2, K_2O-Li_2O-SiO_2, K_2O-Na_2O-SiO_2, and K_2O-BaO-SiO_2 ☆ Y. Kawamoto and M. Tomozawa 289
59. Effects of MoO_3 on Phase Separation of Na_2O-B_2O_3-SiO_2 Glasses ☆ Y. Kawamoto, K. Clemens, and M. Tomozawa 292
60. Quantitative Studies of Thermal Shock in Ceramics Based on a Novel Test Technique ☆ K. T. Faber, M. D. Huang, and A. G. Evans 296
61. Gaseous-Transport-Controlled Chlorination of CoO in Flowing Oxygen-Chlorine-Argon Mixtures at 1000 K ☆ M. J. McNallan and W. W. Liang 302
62. Mass-Spectrometric and Electrochemical Studies of Thermodynamic Properties of Liquid and Solid Phases in the System CaO-Al_2O_3 ☆ Michel Allibert, Christian Chatillon, K. T. Jacob, and Roger Lourtau 307
63. Effect of Oxygen Potential on the Thermal Creep of Niobia-Doped UO_2 ☆ J. B. Ainscough, F. Rigby, and S. A. Morrow 315

***Communications*, pp. C-81–C-86**

Identification of a New Yttrium Oxycarbide, Y_2OC ☆ C. E. Holcombe and D. A. Carpenter C-82
Radiation-Coloration-Resistant Glasses with High-Water Content ☆ J. Acocella, M. Takata, M. Tomozawa, and E. B. Watson C-83
Sintering of Acicular Fe_2O_3 Powder ☆ Takashi Yamaguchi and Hideaki Kosha C-84
When is a Beam a Plate? ☆ Francis I. Baratta C-86

June [6]

***Journal*, pp. 319–374**

64. Analytical Electron Microscopy of Cement Pastes: III, Pastes Hydrated for Long Times ☆ E. E. Lachowski, K. Mohan, H. F. W. Taylor, C. D. Lawrence, and A. E. Moore 319
65. Micromechanics of Flaw Growth in Static Fatigue: Influence of Residual Contact Stresses ☆ P. Chantikul, B. R. Lawn, and D. B. Marshall 322
66. Partition of Hydrogen in the Modified Chemical Vapor Deposition Process ☆ D. L. Wood and James S. Shirk 325
67. Oxidation Kinetics of Hot-Pressed and Sintered α-SiC ☆ J. A. Costello and R. E. Tressler 327
68. Boron Redistribution in Sintered α-SiC During Thermal Oxidation ☆ J. A. Costello, R. E. Tressler, and I. S. T. Tsong 332
69. Electron Diffraction and Microscopy Techniques for Studying Grain-Boundary Structure ☆ C. B. Carter and S. L. Sass 335
70. Grain-Size Dependence of Fracture Energy in Ceramics: I, Experiment ☆ R. W. Rice, S. W. Freiman, and P. F. Becher 345
71. Grain-Size Dependence of Fracture Energy in Ceramics: II, A Model for Noncubic Materials ☆ R. W. Rice and S. W. Freiman 350
72. Temperature Dependence of Hertzian Indentation Fracture Surface Energy of ThO_2 ☆ T. Inoue and Hj. Matzke 355
73. Liquid Immiscibility in the System Na_2O-ZnO-B_2O_3-SiO_2 ☆ Peter Taylor and Derrek G. Owen 360
74. Oxygen Diffusion in Magnesium Aluminate Spinel ☆ K. P. R. Reddy and A. R. Cooper 368
75. Dependency of Fatigue Predictions on the Form of the Crack Velocity Equation ☆ K. Jakus, J. E. Ritter, Jr., and J. M. Sullivan 372

Correction—States of Sulfur in Alkali Borate Glasses ☆ A. A. Ahmed, T. M. El-Shamy, and N. A. Sharaf 374

***Communications*, pp. C-87–C-94**

Synthesis of β-Si_3N_4 by Chemical Vapor Deposition ☆ Toshio Hirai and Shinsuke Hayashi C-88
Preferential Dissolution of an Intergranular Amorphous Phase in a Nuclear Waste Ceramic ☆ D. R. Clarke C-89
A Proposed Definition for the Thermal Efficiency of Glass-Melting Furnaces ☆ A. R. Cooper C-91
Liquid-Liquid Immiscibility in BaO-B_2O_3 ☆ K. Clemens, M. Yoshiyagawa, and M. Tomozawa C-91
EPR of Vanadium(IV) in Lead Silicate Glass ☆ F. Momo, A. Sotgiu, E. Baiocchi, and A. Montenero C-93
Correction—Concurrent Flaw Populations in SiC ☆ T. E. Easler, R. C. Bradt, and R. E. Tressler C-94

July [7]

***Journal*, pp. 375–430**

76. Effect of Burnup on the Response of Stainless Steel-Clad Mixed-Oxide Fuels to Simulated Thermal Transients ☆ G. R. Fenske and G. Bandyopadhyay 375
77. Electron Microscopy Study of the Effect of Iron in Reaction-Sintered Silicon Nitride ☆ S. Shinozaki and M. E. Milberg 382
78. Characterization of Grain-Boundary Segregation in MgO ☆ Y. M. Chiang, A. F. Henriksen, W. D. Kingery, and D. Finello 385
79. Fracture of Isotropic and Textured Ba Hexaferrite ☆ M. Iwasa, C. E. Liang, R. C. Bradt, and Y. Nakamura 390
80. Toughening of Ceramics by Circumferential Microcracking ☆ A. G. Evans and K. T. Faber 394
81. Role of Water Vapor and Sulfur Compounds in Sodium Vaporization During Glass Melting ☆ D. M. Sanders, M. E. Wilke, S. Hurwitz, and W. K. Haller 399
82. Electrical Breakdown Strength of Alumina at High Temperatures ☆ M. Yoshimura and H. K. Bowen 404
83. Acoustic Emission in the Drying of Hardened Cement Paste and Mortar ☆ J. S. Nadeau, R. Bennett, and S. Mindess 410
84. High/Low Modulus Si_3N_4-BN Composite for Improved Electrical and Thermal Shock Behavior ☆ K. S. Mazdiyasni and Robert Ruh 415
85. Equilibrium Oxygen Pressures of Mn-Zn Ferrites ☆ T. Tanaka 419
86. Reaction Mechanisms in the Formation of PZT Solid Solutions ☆ S. S. Chandratreya, R. M. Fulrath, and J. A. Pask 422
87. Fracture Toughness of Fused SiO_2 and Float Glass at Elevated Temperatures ☆ N. Shinkai, R. C. Bradt, and G. E. Rindone 426

***Communications*, pp. C-95–C-102**

Stability of Si_3N_4 and Liquid Phase(s) During Sintering ☆ C. Greskovich and S. Prochazka C-96
Rapid Quenching Technique Using Thermal-Image Furnace for Glass Preparation ☆ Masahiro Tatsumisago, Tsutomu Minami, and Masami Tanaka C-97
Verification of the Double-Torsion Equation by Using Different Thickness Samples of a Machinable Glass-Ceramic ☆ D. R. Biswas and V. K. Pujari C-98
Changes in Zeta Potential During Hydration of C_3S With and Without $CaCl_2$ Additions ☆ N. B. Singh and P. N. Ojha C-99
Dielectric Breakdown of Porous $MgAl_2O_4$ ☆ A. S. Rupaal, J. E. Garnier, and J. L. Bates C-100
Interaction of $BaCl_2$ and $BaCO_3$ at Elevated Temperatures ☆ Satish Chandra C-101

August [8]

***Journal*, pp. 431–498**

88. High-Temperature Thermoelectric Power Measurements in Wustite ☆ J. D. Hodge and H. K. Bowen 431
89. Decomposition of Two Aluminum Sulfates and Characterization of the Resultant Aluminas ☆ Etsuro Kato, Keiji Daimon, and Masao Nanbu 436
90. Raman Spectroscopy of Heat-Treated B_2O_3-SiO_2 Glasses ☆ Toshiharu Furukawa and William B. White 443
91. Solubility of TiO_2 in $BaTiO_3$ ☆ R. K. Sharma, N.-H. Chan, and D. M. Smyth 448
92. Precipitation in LiF-MgF_2 Solid Solutions ☆ Vladimir D. Krstic, Patrick S. Nicholson, and Gary R. Purdy 451
93. Effect of Surface Energy on the Mechanical Strength of a High-Silica Glass ☆ Y. Oka, J. M. Wahl, and M. Tomozawa 456
94. Sintering of MgF_2-LiF Solid Solutions ☆ Julie Ciarlo and Patrick S. Nicholson 460
95. Coalescence of Thin Films of Gold Condensed on Glass ☆ V. D. Fréchette, J. C. Pulver, and D. R. Rossington 463
96. Sintering of Inhomogeneous Binary Powder Mixtures ☆ Gary L. Messing and George Y. Onoda, Jr. 468
97. Isostatic Hot-Pressing of UO_2 ☆ A. A. Solomon, K. M. Cochran, and J. A. Habermeyer 472
98. Density and Ionic Conductivity of Sintered $(CeO_2)_{0.82}(GdO_{1.5})_{0.18}$ ☆ I. Riess, D. Braunshtein, and D. S. Tannhauser 479
99. Low-Temperature Densification of Lead Zirconate-Titanate with Vanadium Pentoxide Additive ☆ Dale E. Wittmer and Relva C. Buchanan 485
100. The System CaO-Al_2O_3-P_2O_5-H_2O at 200°C ☆ Shang Jung Yuh and T. J. Rockett 491
101. Raman Study of Arsenic-Containing Potassium Silicate Glasses ☆ H. Verweij 493

***Communications*, pp. C-103–C-114**

Transient and Synergistic Effects in Solid-Particle Erosion of Silicon ☆ R. O. Scattergood and J. L. Routbort C-104
Analysis of Effect of Crack Interaction on Nature of Strength Loss in Thermally Shocked Brittle Ceramics ☆ J. P. Singh, C. Shih, and D. P. H. Hasselman C-106

Degradation of Plasma-Sprayed Alumina on Metal Substrates in Physiological Media ☆ J. L. Drummond, M. R. Simon, S. D. Brown, and R. J. Blattner C-109
Effects of Preparation History on TiO_2-SiO_2 Glasses ☆ P. P. Bihuniak and R. A. Condrate, Sr. C-110
Post-Indentation Slow Growth of Radial Cracks in Glasses ☆ Prabhat K. Gupta and Nancy J. Jubb C-112
Correction—Thermal Decomposition of the Oxynitride of Germanium and the Heat Capacity of the Oxynitrides of Silicon and Germanium ☆ Thomas C. Ehlert C-114

September [9]

***Journal*, pp. 499–566**

102. Toughening of Glasses by Metallic Particles ☆ Vladimir D. Krstic, Patrick S. Nicholson, and Richard G. Hoagland 499
103. Prismatic Slip of Al_2O_3 Single Crystals Below 1000°C in Compression Under Hydrostatic Pressure ☆ J. Castaing, J. Cadoz, and S. H. Kirby 504
104. Phase Relations in Crystalline Ceramic Nuclear Waste Forms: The System UO_{2+x}-CeO_2-ZrO_2-ThO_2 at 1200°C in Air ☆ John G. Pepin and Gregory J. McCarthy 511
105. Transmission Electron Microscopy of $Pb(Zr_{0.52}Ti_{0.48})O_3$ ☆ Edward K. W. Goo, Raja K. Mishra, and Gareth Thomas 517
106. Thermopower Measurement of Cation Distribution in Magnetite ☆ C. C. Wu and T. O. Mason 520
107. Kinetics of Iron-Sodium Disilicate Reactions and Wetting ☆ Antoni P. Tomsia and Joseph A. Pask 523
108. Crack Branching in Transformation-Toughened Zirconia ☆ H. P. Kirchner, R. M. Gruver, M. V. Swain, and R. C. Garvie ... 529
109. A Critical Evaluation of Indentation Techniques for Measuring Fracture Toughness: I, Direct Crack Measurements ☆ G. R. Anstis, P. Chantikul, B. R. Lawn, and D. B. Marshall 533
110. A Critical Evaluation of Indentation Techniques for Measuring Fracture Toughness: II, Strength Method ☆ P. Chantikul, G. R. Anstis, B. R. Lawn, and D. B. Marshall 539
111. Melting-Point Relations for Simple Halides and Oxides ☆ L. G. Van Uitert 544
112. Effect of Iron, Titanium, and Hafnium on Second-Stage Nitriding of Silicon ☆ J. Mukerji and S. K. Biswas 549
113. Phase Relations in the Systems A_2O-Metal Oxide-WO_3 (A=Li, Na; Metal=Fe, Cr, Sn, Zr, Th, V) ☆ Gerard E. Spinnler and Luke L. Y. Chang 553
114. Nonstoichiometry in Undoped $BaTiO_3$ ☆ N.-H. Chan, R. K. Sharma, and D. M. Smyth 556
115. Intergranular Slow Crack Growth in MgF_2 ☆ J. J. Mecholsky 563

***Communications*, pp. C-115–C-126**

Strength and Transmittance of Sapphire and Strengthened Sapphire ☆ R. L. Gentilman, E. A. Maguire, H. S. Starrett, T. M. Hartnett, and H. P. Kirchner C-116
Anisotropy Effects in the Thermal Diffusivity of Si_3N_4-BN Composites ☆ K. Niihara, L. D. Bentsen, D. P. H. Hasselman, and K. Mazdiyasni C-117
Shape of Complex Resistivity Arcs for Ionically Conducting Glasses ☆ R. Syed, D. L. Gavin, C. T. Moynihan, and A. V. Lesikar C-118
An Unusual Form of Belite in Portland Cement Clinker ☆ A. Ghose and P. Barnes C-120
Effect of Machining Damage on the Strength of a Glass-Ceramic ☆ R. F. Cook, B. R. Lawn, T. P. Dabbs, and P. Chantikul C-121
Effect of Organic Acids on E-Glass Fabric ☆ B. E. Ramachandran, N. Balasubramanian, G. V. Subba Rao, and G. Aravamudan C-122
The Thermodynamic Properties of Silicon Oxynitride ☆ M. Bruce Fegley, Jr. C-124

October [10]

***Journal*, pp. 567–626**

116. Morphological Development of Hydrating Tricalcium Silicate as Examined by Electron Microscopy Techniques ☆ H. M. Jennings, B. J. Dalgleish, and P. L. Pratt 567
117. Gibbs Energy of Formation of Lead Zirconate ☆ K. T. Jacob and W. W. Shim 573
118. Oxidation of Silicon Nitride Hot-Pressed with Ceria ☆ G. N. Babini, A. Bellosi, and P. Vincenzini 578
119. Acoustic Emission in the Fracture of Glass Plates ☆ John S. Nadeau 585
120. Reversible Weight Change of Acceptor-Doped $BaTiO_3$ ☆ H.-J. Hagemann and D. Hennings 590
121. Self-Diffusion of ^{45}Ca and ^{88}Y in Pure and YF_3-Doped CaF_2 Single Crystals ☆ Chhattar S. Kucheria and M. F. Berard 594
122. The Intergranular Phase in Hot-Pressed Silicon Nitride: I, Elemental Composition ☆ D. R. Clarke, N. J. Zaluzec, and R. W. Carpenter 601
123. The Intergranular Phase in Hot-Pressed Silicon Nitride: II, Evidence for Phase Separation and Crystallization ☆ D. R. Clarke, N. J. Zaluzec, and R. W. Carpenter 608
124. Thermal Segregation of Cations in Iron Aluminate Spinels ☆ W. T. Petuskey and H. K. Bowen 611
125. PTC Effect in $BaTiO_3$ as a Function of Doping with 3*d* Elements ☆ Holger Ihrig 617
126. Galvanic Cell Measurements with Stabilized Zirconia and Platinum Probes ☆ N. J. Dudney, R. L. Coble, and H. L. Tuller .. 621
127. Disaccommodation of Mn-Zn Ferrite After Temperature Cycling ☆ E. M. Vogel, D. W. Johnson, Jr., and E. M. Gyorgy 624
CORRECTION—Toughening of Glasses by Metallic Particles ☆ Vladimir D. Krstic, Patrick S. Nicholson, and Richard G. Hoagland 626

***Communications*, pp. C-127–C-146**

Preparation of Sinterable Cubic Aluminum Oxynitride by the Carbothermal Nitridation of Aluminum Oxide ☆ William Rafaniello and Ivan B. Cutler C-128
Characterization of Particle Orientations in Ceramics by Electron Paramagnetic Resonance ☆ F. Mehran, K. A. Müller, W. J. Fitzpatrick, W. Berlinger, and M. S. Fung C-129
Thermoelectric Study of Cobaltous Oxide Defect Structure ☆ H.-C. Chen and T. O. Mason C-130
Densification of Alumina and Silica in the Presence of a Liquid Phase ☆ Vipin Kant Singh C-133
Thermal Diffusivities of Molybdenum/Alumina Cermets ☆ H. Craig Miller C-136
Electrical Conductivity of $MgAl_2O_4$ and $Y_3Al_5O_{12}$ ☆ J. Lambert Bates and John E. Garnier C-138
Influence of Microcracking and Slow Crack Growth on the Planar Coupling Coefficient in PZT ☆ S. S. Chiang, R. M. Fulrath, and J. A. Pask C-141
Activation Energies for Densification, Creep, and Grain-Boundary Sliding in Nitrogen Ceramics ☆ R. Raj and P. E. D. Morgan C-143
Effect of Gamma Radiation on the Strength of Plate Glass of Varying Arsenic Content ☆ H. R. Swift C-145

November [11]

***Journal*, pp. 627–686**

128. Electrical Conductivity of Pure and Yttria-Doped Uranium Dioxide ☆ N. J. Dudney, R. L. Coble, and H. L. Tuller 627
129. Thermodynamic Properties of Fe_3O_4-$FeAl_2O_4$ Spinel Solid Solutions ☆ A. Petric, K. T. Jacob, and C. B. Alcock 632
130. Effect of Microstructure on the PTCR Effect in Semiconducting Barium Titanate Ceramics ☆ Makoto Kuwabara 639
131. Fracture of LiF-MgF_2 Precipitated Composites ☆ Vladimir D. Krstic and Patrick S. Nicholson 644
132. Temperature Dependence in Air of Fe^{2+} Concentration and Its Relation to Electrical Conductivity in a Natural Eastern Coal Slag ☆ G. S. White, W. R. Hosler, and T. J. Castellano 649
133. Swelling Properties of Synthetic Alkali Silica Gels ☆ Leslie J. Struble and Sidney Diamond 652
134. Fracture of Al_2O_3 Combined Tension/Torsion: I, Experiments ☆ J. J. Petrovic and M. G. Stout 656
135. Fracture of Al_2O_3 in Combined Tension/Torsion: II, Weibull Theory ☆ J. J. Petrovic and M. G. Stout 661
136. Computer Simulation of Float Glass Stretching ☆ O. S. Narayanaswamy 666
137. Crack Stability in the Work-of-Fracture Test: Refractory Applications ☆ J. Nakayama, H. Abe, and R. C. Bradt 671
138. Behavior of Bubbles in Glassmelts: III, Dissolution and Growth of a Rising Bubble Containing a Single Gas ☆ Paulette I. K. Onorato, Michael C. Weinberg, and Donald R. Uhlmann 676
139. Effect of Corrosion Processes on Subcritical Crack Growth in Glass ☆ C. J. Simmons and S. W. Freiman 683

Correction—Temperature Dependence of Hertzian Indentation Fracture Surface Energy of ThO_2 ☆ T. Inoue and Hj. Matzke 686

***Communications*, pp. C-147–C-166**

The High-Silica Liquidus Surface of the System Na_2O-B_2O_3-SiO_2 ☆ Thomas J. Rockett and W. R. Foster C-148
Solution-Gelation Method for Preparing Polycrystalline Zircon ☆ Richard F. Haaker and Rodney C. Ewing C-149
Fracture Toughness of Chalcogenide Glasses of the System Se-Ge-As ☆ B.-D. Michels and G. H. Frischat C-150
Comparison of the Reaction Systems ZrO_2-Si_3N_4 and TiO_2-Si_3N_4 ☆ M. B. Trigg and E. R. McCartney C-151
Elastic Constants of $Fe_{1-x}O$ Single Crystals ☆ J. Berger, J. Berthon, A. Revcolevschi, and E. Jolles C-153
Initial Sintering of ZnO ☆ O. J. Whittemore and J. A. Varela C-154
Electrical Conduction in Pure and Li-Substituted Co_3O_4 ☆ Kunihito Koumoto and Hiroaki Yanagida C-156
Improved Impact Resistance in Soda-Lime-Silica Glasses Through Zinc Oxide Substitutions ☆ Ronald A. McCauley, Asok K. De, and Dodd S. Carr C-157
Liquid Immiscibility in the System K_2O-B_2O_3-SiO_2 ☆ Peter Taylor and Derrek G. Owen C-158
Stress Corrosion of Silica Glass ☆ S. Ito and M. Tomozawa C-160
Densification of Si_3N_4-Y_2O_3/Al_2O_3 by a Dual N_2 Pressure Process ☆ G. E. Gazza, R. N. Katz, and H. F. Priest C-161
Fate of Calcium Chloride Dissolved in Concrete Mix Water ☆ Sidney Diamond and Federico Lopez-Flores C-162
Reaction Mechanism of H_3BO_3-ZnO Bonding Material Under Hot-Pressing and Heat Treatment ☆ Yoshikazu Utsumi, Tadaki Murakami, and Isao Ishii C-164
Comment on "Elastic/Plastic Indentation Damage in Ceramics: The Median/Radial Crack System" ☆ D. G. Bhat C-165

December [12]

***Journal*, pp. 687–752**

140. Microstructure of $SrTiO_3$ Boundary-Layer Capacitor Material ☆ P. E. C. Franken, M. P. A. Viegers, and A. P. Gehring 687
141. Arsenate Glasses ☆ L. G. Van Uitert and W. H. Grodkiewicz 690
142. The Glass System SiO_2-B_2O_3-BaO-Na_2O for High-Numerical-Aperture Optical Fibers ☆ Seiko Mitachi, Shuichi Shibata, and Shiro Takahashi 692
143. Small-Angle X-Ray Scattering Analysis of Nucleation in Glass: I, Matrix Scattering and Sample Surface Effects ☆ John A. Williams, Guy E. Rindone, and Herbert A. McKinstry 697
144. Small-Angle X-Ray Scattering Analysis of Nucleation in Glass: II, Selenium Ruby Glasses ☆ John A. Williams, Guy E. Rindone, and Herbert A. McKinstry 702
145. Small-Angle X-Ray Scattering Analysis of Nucleation in Glass: III, Gold Ruby Glasses ☆ John A. Williams, Guy E. Rindone, and Herbert A. McKinstry 709
146. Dielectric Relaxation Strength of a Low-Alkali Glass ☆ J. F. Cordaro and Minoru Tomozawa 713
147. Analytical Electron Microscopy of Cement Pastes: IV, β-Dicalcium Silicate Pastes ☆ K. Mohan and H. F. W. Taylor 717
148. Effect of Water Content on the Electrical Conductivity of $Na_2O{\cdot}3SiO_2$ Glass ☆ M. Takata, J. Acocella, M. Tomozawa, and E. B. Watson 719
149. Preparation of High-Density Si_3N_4 by a Gas-Pressure Sintering Process ☆ C. Greskovich 725
150. Strength Distributions of SiC Ceramics After Oxidation and Oxidation Under Load ☆ T. E. Easler, R. C. Bradt, and R. E. Tressler 731
151. Effects of AlN Additions and Atmosphere on the Synthesis of Cubic Boron Nitride ☆ Shin-Ichi Hirano, Takayuki Yamaguchi, and Shigeharu Naka 734
152. Delayed Failure of Plasma-Sprayed Al_2O_3 Applied to Metallic Substrates ☆ M. K. Ferber and S. D. Brown 737
153. Iron Tracer Diffusion in Aluminum Oxide ☆ Isabel K. Lloyd and H. K. Bowen 744
154. Oxygen Diffusion in Vapor-Deposited Indium Oxide Films ☆ G. P. Wirtz and H. P. Takiar 748

***Communications*, pp. C-167–C-184**

Continuous Determination of the Oxidation State in a Soda-Lime-Silica Glassmelt During Refining ☆ Ingrid Löh, Thomas Frey, and Helmut A. Schaeffer C-168
Influence of Stoichiometry on the PTCR Effect in Porous Barium Titanate Ceramics ☆ Makoto Kuwabara C-170
Solid-State Reactions in the System PbO-TiO_2-ZrO_2 ☆ Dana L. Hankey and James V. Biggers C-172
Evaluation of Bimodal Concurrent Flaw Distributions ☆ K. Jakus, J. E. Ritter, Jr., T. Service, and D. Sonderman C-174
Grain Boundaries, Fracture, and Heat Treatment of Commercial Partially Stabilized Zirconia ☆ R. W. Rice, K. R. McKinney, and R. P. Ingel C-175
The $6H \rightarrow 3C$ "Reverse" Transformation in Silicon Carbide Compacts ☆ N. W. Jepps and T. F. Page C-177
Deuterium Treatment and Infrared Transmission Spectra of Fused Silica ☆ Binod Kumar, N. Fernelius, and J. A. Detrio C-178
Hydrothermal Preparation of Ultrafine Monoclinic ZrO_2 Powder ☆ Eiji Tani, Masahiro Yoshimura, and Shigeyuki Sōmiya C-181
Reply to "Comment on 'Elastic/Plastic Indentation Damage in Ceramics: The Median/Radial Crack System'" ☆ D. B. Marshall and A. G. Evans C-182
Effect of H_2O Vapor on the Internal Friction of Binary Alkali Silicate Glasses ☆ Wieslaw A. Zdaniewski and Guy E. Rindone C-183